British Journal of Dermatology 2004; **151**: 1289–1306.

Author index

ABE, M. *see* HASHIMOTO, C.
ABENI, D. *see* SAMPOGNA, F.
ABERER, W. *see* BRASCH, J.
ACKERMAN, A.B. *see* MEDALIE, N.
ADACHI, A., SUZUKI, T. & TOMITA, Y. Detection of human papillomavirus type 56 DNA, belonging to a mucous high-risk group, in hair follicles in the genital area of a woman no longer suffering from viral warts, 212
AGNER, T. *see* KYNEMUND PEDERSEN, L.
AGNEW, K.L. *see* BOWLING, J.C.R.
AHN, S-J. *see* LEE, M-W.
AKITA, Y., KOZAKI, K., NAKAGAWA, A., SAITO, T., ITO, S., TAMADA, Y., FUJIWARA, S., NISHIKAWA, N., UCHIDA, K., YOSHIKAWA, K., NOGUCHI, T., MIYAISHI, O., SHIMOZATO, K., SAGA, S. & MATSUMOTO, Y. Cyclooxygenase-2 is a possible target of treatment approach in conjunction with photodynamic therapy for various disorders in skin and oral cavity, 472
AKUTSU, N. *see* AMANO, S.
AL MASAOUDI, T. *see* SACHS, B.
ALASEHIRLI, B. *see* OZKUR, M.
ALBERT, S. *see* SAKUMA-OYAMA, Y.
ALESSANDRINO, P.E. *see* VASSALLO, C.
ALI, I. *see* SANDER, C.S.
ALOMAR, A. *see* VIDAL, D.
ÁLVAREZ-RUIZ, S.B., GARCÍA-RÍO, I., ARAGÜÉS, M., FRAGA, J., LOCERTALES PUEYO, J., FERNÁNDEZ-HERRERA, J. & GARCÍA-DÍEZ, A. Leucocytoclastic vasculitis, hepatitis C virus-associated mixed cryoglobulinaemia with biclonal gammopathy and Waldenström macroglobulinaemia, 937
AMAGAI, M. *see* AOKI-OTA, M.
AMAGAI, M. *see* HISAMATSU, Y.
AMANO, S., AKUTSU, N., OGURA, Y. & NISHIYAMA, T. Increase of laminin 5 synthesis in human keratinocytes by acute wound fluid, inflammatory cytokines and growth factors, and lysophospholipids, 961
AMAR, L., LIDOVE, O., KAHN, J.E., CORDOLIANI, F., FRÉMEAUX-BACCHI, V., DRAGON-DUREY, M.A., CHAUVEHEID, M.P. & BLÉTRY, O. Hereditary angio-oedema: effective treatment with the progestogen-only pill in a young woman, 713
AMATO, L. *see* MORETTI, S.
AMERIO, P. *see* CAPIZZI, R.
AMERIO, P. *see* SAMPOGNA, F.
AMIN, W. *see* HEWITT, C.
ANGELONI, A. *see* COTTONI, F.
ANGELONI, C. *see* BIANCHI, L.
ANNAS, A. *see* HALL, M.A.
ANSTEY, A.V., WAKELIN, S. & REYNOLDS, N.J. Guidelines for prescribing azathioprine in dermatology, 1123
ANSTEY, A.V. *see* LEWIS, V.J.
AOKI-OTA, M., TSUNODA, K., OTA, T., IWASAKI, T., KOYASU, S., AMAGAI, M. & NISHIKAWA, T. A mouse model of pemphigus vulgaris by adoptive transfer of naive splenocytes from desmoglein 3 knockout mice, 346
ARAGÜÉS, M. *see* ÁLVAREZ-RUIZ, S.B.
ARAKAWA, S. *see* ASADA, Y.
ARATA, J. *see* HAMADA, T.
ARDIGÒ, M. *see* VASSALLO, C.
ARENBERGER, P. *see* HAVLICKOVA, B.
ARENBERGER, P. *see* LYSA, B.
ARGENZIANO, G., ZALAUDEK, I. & SOYER, H.P. Which is the most reliable method for teaching dermoscopy for melanoma diagnosis to residents in dermatology?, 512
ARGENZIANO, G. *see* ZALAUDEK, I.
ARMSTRONG, D.K.B., SHARPE, P.C., CHAMBERS, C.R., WHATLEY, S.D., ROBERTS, A.G. & ELDER, G.H. Hepatoerythropoietic porphyria: a missense mutation in the *UROD* gene is associated with mild disease and an unusual porphyrin excretion pattern, 920
ARNONE, D.D. *see* WALLACE, V.P.
ARPIN, C. *see* BESSIS, D.
ARSECULARATNE, G. *see* BLACK, A.P.B.
ASADA, Y., ARAKAWA, S., FUJIWARA, S., SATO, F. & KANEDA, K. High serum level of 5-S-cysteinyldopa in chronic renal failure does not always indicate melanoma progression, 515
ASAGOE, K. *see* HAMADA, T.
ASAI, J., TAKENAKA, H., IKADA, S., SOGA, F. & KISHIMOTO, S. Congenital malignant melanoma: a case report, 693
ASANO, Y. *see* JINNIN, M.
ASANO, Y. *see* MIMURA, Y.
ASO, D. *see* FUZIWARA, S.
ASSAF, C. *see* MAKOSZ, T.
ASSELINEAU, D. *see* MARROT, L.
ATEŞ, F. *see* YAZICI, C.
AUTHI, K.S. *see* TAVADIA, S.
AYNACIOGLU, A.S. *see* OZKUR, M.
AZIZ, S.A., FABER, W.R. & KOLK, A.H.J. Atypical cutaneous mycobacteriosis diagnosed by polymerase chain reaction, 719
AZIZI, E. *see* SCOPE, A.

BAGOT, M. *see* MAO, X.
BALKRISHNAN, R. *see* CARROLL, C.L.
BALME, B. *see* NORGETT, E.E.
BANKOVA, L. *see* FLUHR, J.W.
BANKOVA, L. *see* KAPPES, U.
BAÑULS, J. *see* PASCUAL, J.C.
BARKER, J. *see* CHEW, A-L.
BARKER, T.H.W. *see* LESLIE, K.S.
BARNETSON, R.St. *see* SATCHELL, A.C.
BARON, S.E. & MOSS, C. Contact urticaria to play dough: a possible sign of dietary allergy, 945
BASSET-SÉGUIN, N. *see* BESSIS, D.
BÄUMER, W., SEEGERS, U., BRAUN, M., TSCHERNIG, T. & KIETZMANN, M. TARC and RANTES, but not CTACK, are

© 2004 British Association of Dermatologists

induced in two models of allergic contact dermatitis. Effects of cilomilast and diflorasone diacetate on T-cell-attracting chemokines, 823
BAXTER, K.F. *see* USMANI, N.
BEATTIE, P.E., DAWE, R.S., IBBOTSON, S.H. & FERGUSON, J. Co-existence of chronic actinic dermatitis and solar urticaria in three patients, 513
BECK, M.H. *see* WALKER, S.L.
BÉDANE, C. *see* BOULINGUEZ, S.
BELAÏDI, J.P. *see* MARROT, L.
BELINCHON, I. *see* PASCUAL, J.C.
BENDERDOUCHE, M. *see* MENOTTI, J.
BENNETT, A. *see* CHEW, A-L.
BENNETT, D.C. *see* TAIBJEE, S.M.
BENNINGHOFF, B. *see* LYSA, B.
BENSUSSAN, A. *see* MAO, X.
BERCOVITCH, L., LEROUX, T., TERRY, S. & WEINSTOCK, M.A. Pregnancy and obstetrical outcomes in pseudoxanthoma elasticum, 1011
BERNERD, F. *see* MARROT, L.
BESSIS, D., MOLÈS, J.P., BASSET-SÉGUIN, N., TESNIERE, A., ARPIN, C. & GUILHOU, J.J. Differential expression of a human endogenous retrovirus E transmembrane envelope glycoprotein in normal, psoriatic and atopic dermatitis human skin, 737
BESSIS, D. *see* JACOT, W.
BEZ, C. *see* LODI, G.
BHOGAL, B.S. *see* SAKUMA-OYAMA, Y.
BIANCHI, B. *see* MORETTI, S.
BIANCHI, L., ORLANDI, A., CAMPIONE, E., ANGELONI, C., COSTANZO, A., SPAGNOLI, L.G. & CHIMENTI, S. Topical treatment of basal cell carcinoma with tazarotene: a clinicopathological study on a large series of cases, 148
BIEBER, T. *see* WENZEL, J.
BILENCHI, R., POGGIALI, S., PISANI, C., DE ALOE, G., MOTOLESE, P.A., MOTOLESE, E., ROTTOLI, P., LOMBARDI, C., ROCCHI, R. & FIMIANI, M. Floppy eyelid syndrome associated with obstructive sleep apnoea, 706
BILSLAND, D. *see* IBBOTSON, S.H.
BILSLAND, D. *see* ZAMIRI, M.
BINGEWAR, G. *see* CHAN, I.
BINSWANGER, U. *see* DRAGIEVA, G.
BÍRÓ, T. *see* HAVLICKOVA, B.
BISSONNETTE, R., SHARFAEI, S., VIAU, G. & LIU, Y. Irradiance and light dose influence histological localization of photodamage induced by photodynamic therapy with aminolaevulinic acid, 653
BISSUEL, F. *see* COUPPIÉ, P.
BLACK, A.P.B., SENEVIRATNE, S.L., JONES, L., KING, A.S., WINSEY, S., ARSECULARATNE, G., WOJNAROWSKA, F. & OGG, G.S. Rapid effector function of circulating NC16A-specific T cells in individuals with mucous membrane pemphigoid, 1160
BLACK, M.M. *see* SAKUMA-OYAMA, Y.
BLANCH, J., GRIMALT, F., MASSANA, G. & NAVARRO, V. Efficacy of olanzapine in the treatment of psychogenic excoriation, 714
BLANCO, S. *see* GALACHE, C.
BLANES, M. *see* PASCUAL, J.C.
BLÉTRY, O. *see* AMAR, L.
BLUM, A., LUEDTKE, H., ELLWANGER, U., SCHWABE, R., RASSNER, G. & GARBE, C. Digital image analysis for diagnosis of cutaneous melanoma. Development of a highly effective computer algorithm based on analysis of 837 melanocytic lesions, 1029
BLUM, A. Pattern analysis, not simplified algorithms, is the most reliable method for teaching dermoscopy for melanoma diagnosis to residents in dermatology, 511
BODOKH, I. *see* LOWE, N.
BÖHM, M., BONSMANN, G. & LUGER, T.A. Resolution of lichen aureus in a 10-year-old child after topical pimecrolimus, 519
BOJAR, R.A. *see* POLLOCK, B.
BONIN, S. *see* MIERTUSOVA, S.
BONNETBLANC, J.M. *see* BOULINGUEZ, S.
BONSMANN, G. *see* BÖHM, M.
BOORSMA, D.M. *see* MOED, H.
BORG, Å. *see* NIELSEN, K.
BORRONI, G. *see* VASSALLO, C.
BOSSERHOFF, A.K. *see* KARRER, S.
BOTTING, J. *see* BOWLING, J.C.R.
BOULINGUEZ, S., GRISON-TABONE, C., LAMANT, L., VALMARY, S., VIRABEN, R., BONNETBLANC, J.M. & BÉDANE, C. Histological evolution of recurrent basal cell carcinoma and therapeutic implications for incompletely excised lesions, 623
BOUWES BAVINCK, J.N. *see* VAN COEVORDEN, A.M.
BOWLING, J.C.R., BOTTING, J., EDMONDS, E.V.J., HEATON, N. & AGNEW, K.L. The syringe skin hook: the history and evolution of the improvised skin hook, 244
BRAATHEN, L.R. *see* MICHALOPOULOS, P.
BRASCH, J., SCHNUCH, A., GEIER, J., ABERER, W., UTER, W. & FOR THE GERMAN CONTACT DERMATITIS RESEARCH GROUP (DKG) AND THE INFORMATION NETWORK OF DEPARTMENTS OF DERMATOLOGY (IVDK) Iodopropynylbutyl carbamate 0·2% is suggested for patch testing of patients with eczema possibly related to preservatives, 608
BRAUN, M. *see* BÄUMER, W.
BRAUN-FALCO, M., FISCHER, S., PLÖTZ, S-G. & RING, J. Angiolymphoid hyperplasia with eosinophilia treated with anti-interleukin-5 antibody (mepolizumab), 1103
BRAZZELLI, V. *see* VASSALLO, C.
BRENES, G.A. *see* RAPP, D.A.
BREUNINGER, H. *see* MOEHRLE, M.
BRÖNNIMANN, M. *see* MICHALOPOULOS, P.
BRUYNZEEL, D.P. *see* MOED, H.
BRYDEN, A.M. *see* FLEMING, C.J.
BRYSK, H. *see* IGARASHI, S.
BRYSK, M.M. *see* IGARASHI, S.
BUNKER, C.B. Systemic steroids in the treatment of alopecia areata, 246
BURG, G. *see* DRAGIEVA, G.
BURKHART, C.G. & BURKHART, C.N. Tacrolimus and topical steroids: which is more effective?, 1281
BURKHART, C.N. *see* BURKHART, C.G.

ÇALIŞ, M. *see* YAZICI, C.
CALISTA, D., VENTURELLI, C. & MORRI, M. *Latrodectus tredecimguttatus* spider bite, 505
CALLARD, R. *see* ONG, C.
CALLEN, J.P. Update on the management of cutaneous lupus erythematosus, 731
CALOGIURI, G.F., MURATORE, L., NETTIS, E., VENTURA, M.T., FERRANNINI, A. & TURSI, A. Anaphylaxis to hydrocortisone hemisuccinate with cross-sensitivity to related compounds in a paediatric patient, 707
CALONJE, E. *see* THEIN, M.
CAMACHO, F. *see* GARCÍA-MORALES, I.
CAMACHO, F.T. *see* CARROLL, C.L.
CAMPALANI, E. *see* PALMER, R.A.
CAMPANATI, A. *see* LOWE, N.
CAMPBELL, S.M., GOULD, D.J., SALTER, L., CLIFFORD, T. & CURNOW, A. Photodynamic therapy using *meta*-tetrahydroxyphenylchlorin (Foscan®) for the treatment of vulval intraepithelial neoplasia, 1076
CAMPIONE, E. *see* BIANCHI, L.
CANÚN, S. *see* POZO, G.
CAPIZZI, R., LANDI, F., MILANI, M. & AMERIO, P. Skin tolerability and efficacy of combination therapy with hydrogen peroxide stabilized cream and adapalene gel in comparison with benzoyl peroxide cream and adapalene gel in common acne. A randomized, investigator-masked, controlled trial, 481
CAPRONI, M., TORCHIA, D., CARDINALI, C., VOLPI, W., DEL BIANCO, E., D'AGATA, A. & FABBRI, P. Infiltrating cells, related cytokines and chemokine receptors in lesional skin of patients with dermatomyositis, 784
CARBONE, J. *see* SARMIENTO, E.
CARCASSI, C. *see* COTTONI, F.
CARDINALI, C. *see* CAPRONI, M.
CARDUCCI, M. *see* SIMEONE, P.
CARLSSON, B. *see* VAHLQUIST, A.
CARME, B. *see* COUPPIÉ, P.
CARRASSI, A. *see* LODI, G.
CARROLL, C.L., FELDMAN, S.R., CAMACHO, F.T. & BALKRISHNAN, R. Better medication adherence results in greater improvement in severity of psoriasis, 895
CERIMELE, D. *see* COTTONI, F.
CETRE-SOSSAH, C. *see* MENOTTI, J.
CHALMERS, R.J.G. *see* OWEN, C.M.
CHALMERS, R.J.G. *see* WALKER, S.L.
CHAMBERS, C.R. *see* ARMSTRONG, D.K.B.
CHAN, I., BINGEWAR, G., PATIL, K., NAYAK, C., WADHWA, S.L. & MCGRATH, J.A. An Indian child with lipoid proteinosis resulting from a recurrent frameshift mutation (507delT) in the extracellular matrix protein 1 gene, 726
CHAN, I. *see* VAN HOUGENHOUCK-TULLEKEN, W.
CHAO, S-C. *see* LIN, J-H.
CHAUVEHEID, M.P. *see* AMAR, L.
CHAVE, T.A., MORTIMER, N.J., SHAH, D.S. & HUTCHINSON, P.E. Chlorambucil as a steroid-sparing agent in bullous pemphigoid, 1107
CHEN, G. *see* LI, Y-H.
CHEN, G-S. *see* LAN, C-C.E.
CHEN, H-D. *see* LI, Y-H.
CHEN, H-H., HSIAO, C-H. & CHIU, H-C. Successive development of cutaneous polyarteritis nodosa, leucocytoclastic vasculitis and Sweet's syndrome in a patient with cervical lymphadenitis caused by *Mycobacterium fortuitum*, 1096
CHENEY, R.T. *see* MORGAN, J.
CHENG, W. Chemical extraction technique for tattoo removal, 1282
CHEW, A-L., BENNETT, A., SMITH, C.H., BARKER, J. & KIRKHAM, B. Successful treatment of severe psoriasis and psoriatic arthritis with adalimumab, 492
CHILD, F.J. *see* MAO, X.
CHILD, J.A. *see* USMANI, N.
CHIMENTI, S. *see* BIANCHI, L.
CHIMENTI, S. *see* NISTICÒ, S.
CHIN, M. *see* ITO, K.
CHIU, H-C. *see* CHEN, H-H.
CHNG, W.J. & THAMBOO, T.P. Unusual presentation of neutrophilic eccrine hidradenitis, 507
CHO, B.K. *see* JEONG, E.G.
CHO, K-H., LEE, S-H., KIM, C-W., JEON, Y-K., KWON, I-H., CHO, Y-J., LEE, S-K., SUH, D-H., CHUNG, J-H., YOON, T-Y. & LEE, S-J. Epstein–Barr virus-associated lymphoproliferative lesions presenting as a hydroa vacciniforme-like eruption: an analysis of six cases, 372
CHO, Y-H., PARK, S-G., KIM, S-H., PARK, J-S. & LEE, M-G. Cutaneous metastatic malignant mixed mullerian tumour mimicking cutaneous leiomyosarcoma: a case report, 947
CHO, Y-J. *see* CHO, K-H.
CHOI, J-H. *see* LEE, M-W.
CHOI, W-I. *see* LEE, A-Y.
CHUNG, J-H. *see* CHO, K-H.
CLIFF, S. *see* LOWE, N.
CLIFFORD, T. *see* CAMPBELL, S.M.
CLUFF, J. *see* WALLACE, V.P.
CLYTI, E. *see* COUPPIÉ, P.
COCHRAN, A.J. *see* MORTON, D.L.
COENRAADS, P.J. *see* VAN COEVORDEN, A.M.
COHEN, C. *see* SETZER, S.V.
COHEN, J-D. *see* DEREURE, O.
ČOKLO, M. *see* KAŠTELAN, M.
COLANARDI, M.C. *see* NETTIS, E.
COLPAERT, C.G. *see* NIJSTEN, T.
COMBES, B. *see* DEREURE, O.
CONNOLLY, M. & KENNEDY, C. Exfoliative cheilitis successfully treated with topical tacrolimus, 241
COOK, I.S. *see* COOPER, H.L.
COOPER, H.L., COOK, I.S., THEAKER, J.M., MALLIPEDDI, R., MCGRATH, J., FRIEDMANN, P. & HEALY, E. Expression and glycosylation of MUC1 in epidermolysis bullosa-associated and sporadic cutaneous squamous cell carcinomas, 540
CORDIALI-FEI, P. *see* MARIOTTI, F.
CORDOLIANI, F. *see* AMAR, L.
COSCOJUELA, C. *see* GILABERTE, Y.
COSTANZO, A. *see* BIANCHI, L.

COSTANZO, A. *see* NISTICÒ, S.
COTTONI, F., MASALA, M.V., SANTARELLI, R., CARCASSI, C., UCCINI, S., MONTESU, M.A., SATTA, R., ANGELONI, A., FAGGIONI, A. & CERIMELE, D. Susceptibility to human herpesvirus-8 infection in a healthy population from Sardinia is not directly correlated with the expression of HLA-DR alleles, 247
COULSON, I. Litt's Drug Eruption Reference Manual including Drug Interactions with CD-ROM, 10th Edition, 951
COUPPIÉ, P., CLYTI, E., SOBESKY, M., BISSUEL, F., DEL GIUDICE, P., SAINTE-MARIE, D., DEDET, J.P., CARME, B. & PRADINAUD, R. Comparative study of cutaneous leishmaniasis in human immunodeficiency virus (HIV)-infected patients and non-HIV-infected patients in French Guiana, 1165
COX, N.H. *see* IBBOTSON, S.H.
CREAMER, D. *see* FRIEDMANN, A.C.
CUMMINS, D.L. & GASPARI, A.A. Photoprotection by thalidomide in patients with chronic cutaneous and systemic lupus erythematosus: discordant effects on minimal erythema dose and sunburn cell formation, 458
CUNLIFFE, W.J. *see* POLLOCK, B.
CURNOW, A. *see* CAMPBELL, S.M.

D'AGATA, A. *see* CAPRONI, M.
D'ALESSIO, M. *see* MICHELONI, A.
DAILEY, M. *see* RAPP, D.A.
DALGARD, F., SVENSSON, Å., HOLM, J.Ø. & SUNDBY, J. Self-reported skin morbidity in Oslo. Associations with socio-demographic factors among adults in a cross-sectional study, 452
DAM, T.N. *see* JOHANSEN, C.
DANKÓ, K. *see* GYIMESI, E.
DAS, S., LLOYD, J.J., WALSHAW, D. & FARR, P.M. Provocation testing in polymorphic light eruption using fluorescent ultraviolet (UV) A and UVB lamps, 1066
DAWE, R.S. *see* BEATTIE, P.E.
DAWE, R.S. *see* FLEMING, C.J.
DAWE, R.S. *see* IBBOTSON, S.H.
DAWE, R.S. *see* MAN, I.
DE ALOE, G. *see* BILENCHI, R.
DE BERKER, D. *Hair and Scalp Disorders – Common presenting signs, differential diagnosis and treatment*. 2nd Edition, 1112
DE JONG, M.C.J.M. *see* VODEGEL, R.M.
DE LUCA, N. *see* MICHELONI, A.
DE OLIVEIRA, M.G. *see* SEABRA, A.B.
DEAN, D. *see* SANDER, C.S.
DEDET, J.P. *see* COUPPIÉ, P.
DEL BIANCO, E. *see* CAPRONI, M.
DEL GIUDICE, P. *see* COUPPIÉ, P.
DEL OLMO, J. *see* REDONDO, P.
DEMAROSI, F. *see* LODI, G.
DEMİR, M. *see* YAZICI, C.
DEMITSU, T. *see* OSAWA, M.
DENDA, M. *see* FUZIWARA, S.
DEREURE, O., GUILLOT, B., JORGENSEN, C., COHEN, J-D., COMBES, B. & GUILHOU, J-J. Psoriatic lesions induced by antitumour necrosis factor-α treatment: two cases, 506
DEROUIN, F. *see* MENOTTI, J.
DERVAN, P. *see* LANGAN, S.M.
DIAZ, L.A. *see* SÁNCHEZ-CARPINTERO, I.
DIAZ-CANO, S.J. *see* POZO, L.
DIEPGEN, T.L. *see* VAN COEVORDEN, A.M.
DIFFEY, B. *see* IBBOTSON, S.H.
DIFFEY, B.L. *see* HAMPTON, P.J.
DIFFEY, B.L. The future incidence of cutaneous melanoma within the U.K., 868
DINGEMANS, K.P. *see* WESTERHOF, W.
DIRKSEN, A. *see* ELBERLING, J.
DOHERTY, V.R. *see* MCKENNA, D.B.
DOLAN, O.M. *see* MCMULLEN, E.A.
DONG, X-P. *see* LI, Y-H.
DOWNIE, M.M.T. & KEALEY, T. Human sebaceous glands engage in aerobic glycolysis and glutaminolysis, 320
DOWNIE, M.M.T., SANDERS, D.A., MAIER, L.M., STOCK, D.M. & KEALEY, T. Peroxisome proliferator-activated receptor and farnesoid X receptor ligands differentially regulate sebaceous differentiation in human sebaceous gland organ cultures *in vitro*, 766
DOWNS, A.M.R. Chemical extraction technique for tattoo removal: reply from authors, 1283
DRAGIEVA, G., PRINZ, B.M., HAFNER, J., DUMMER, R., BURG, G., BINSWANGER, U. & KEMPF, W. A randomized controlled clinical trial of topical photodynamic therapy with methyl aminolaevulinate in the treatment of actinic keratoses in transplant recipients, 196
DRAGON-DUREY, M.A. *see* AMAR, L.
DREHER, F. *see* LÖFFLER, H.
DREYFUS, B. *see* LAMI, M-C.
DU VIVIER, A.W.P. *see* PERERA, G.K.
DUBERTRET, L. *see* MENOTTI, J.
DUDLER, J. *see* DUMONT-BERSET, M.
DUMMER, R. *see* DRAGIEVA, G.
DUMONT-BERSET, M., LAFFITTE, E., GERBER, C., DUDLER, J. & PANIZZON, R.G. Eczematous drug eruption after infliximab, 1272
DURAKOVIC, C., RAY, S. & HOLICK, M.F. Topical paricalcitol (19-nor-1α,25-dihydroxyvitamin D_2) is a novel, safe and effective treatment for plaque psoriasis: a pilot study, 190

EDMONDS, E.V.J. *see* BOWLING, J.C.R.
EDWARDS, C. *see* IBBOTSON, S.H.
EEDY, D.J. & GRAHAM-BROWN, R.A.C. Ethics and conflicts of interest in the BJD, 1
EEDY, D.J. Introducing controversies in dermatology: sentinel lymph node biopsy for cutaneous melanoma – a useful technique or a waste of time?, 267
ELBERLING, J., LINNEBERG, A., MOSBECH, H., DIRKSEN, A., FRØLUND, L., MADSEN, F., NIELSEN, N.H. & JOHANSEN, J.D. A link between skin and airways regarding sensitivity to fragrance products?, 1197
ELDER, G.H. *see* ARMSTRONG, D.K.B.
ELLWANGER, U. *see* BLUM, A.
ELSNER, P. *see* FLUHR, J.W.
ELSNER, P. *see* KAPPES, U.
ELSNER, P. *see* VAN COEVORDEN, A.M.

EMTESTAM, L. *see* HALL, M.A.
ERBAGCI, Z. *see* OZKUR, M.
ERDMANN, S. *see* SACHS, B.
ERICSON, M.B., SANDBERG, C., STENQUIST, B., GUDMUNDSON, F., KARLSSON, M., ROS, A-M., ROSÉN, A., LARKÖ, O., WENNBERG, A-M. & ROSDAHL, I. Photodynamic therapy of actinic keratosis at varying fluence rates: assessment of photobleaching, pain and primary clinical outcome, 1204
ESPAÑA, A. *see* SÁNCHEZ-CARPINTERO, I.
EVANS, A. *see* FLEMING, C.J.

FABBRI, P. *see* CAPRONI, M.
FABBRI, P. *see* MORETTI, S.
FABBRO, M. *see* JACOT, W.
FABER, W.R. *see* AZIZ, S.A.
FAGGIONI, A. *see* COTTONI, F.
FAN, L. *see* YANG, S.
FANG, J-Y., LEE, W-R., SHEN, S-C., FANG, Y-P. & HU, C-H. Enhancement of topical 5-aminolaevulinic acid delivery by erbium:YAG laser and microdermabrasion: a comparison with iontophoresis and electroporation, 132
FANG, Y-P. *see* FANG, J-Y.
FARR, P.M. *see* DAS, S.
FARR, P.M. *see* HAMPTON, P.J.
FARR, P.M. *see* IBBOTSON, S.H.
FELDMAN, S.R. *see* CARROLL, C.L.
FELDMAN, S.R. *see* RAPP, D.A.
FERGUSON, J. *see* BEATTIE, P.E.
FERGUSON, J. *see* IBBOTSON, S.H.
FERGUSON, J. *see* MAN, I.
FERNÁNDEZ-HERRERA, J. *see* ÁLVAREZ-RUIZ, S.B.
FERRANNINI, A. *see* CALOGIURI, G.F.
FERRANNINI, A. *see* NETTIS, E.
FERRERES, J.R. *see* MUNIESA, C.
FEUILHADE DE CHAUVIN, M. *see* MENOTTI, J.
FIALLA, R. *see* RICHTIG, E.
FIMIANI, M. *see* BILENCHI, R.
FISCHER, S. *see* BRAUN-FALCO, M.
FISCHER, T.W. *see* KAPPES, U.
FITZGERALD, A.J. *see* WALLACE, V.P.
FITZPATRICK, A. *see* SEABRA, A.B.
FLANAGAN, N. *see* WALLACE, V.P.
FLEISCHER, A.B. *see* RAPP, D.A.
FLEMING, C.J., BRYDEN, A.M., EVANS, A., DAWE, R.S. & IBBOTSON, S.H. A pilot study of treatment of lentigo maligna with 5% imiquimod cream, 485
FLETCHER, A. *see* SALDANHA, G.
FLUHR, J.W., BANKOVA, L., FUCHS, S., KELTERER, D., SCHLIEMANN-WILLERS, S., NORGAUER, J., KLEESZ, P., GRIESHABER, R. & ELSNER, P. Fruit acids and sodium hydroxide in the food industry and their combined effect with sodium lauryl sulphate: controlled *in vivo* tandem irritation study, 1039
FLUHR, J.W. *see* KAPPES, U.
FOR THE GERMAN CONTACT DERMATITIS RESEARCH GROUP (DKG), THE INFORMATION NETWORK OF DEPARTMENTS OF DERMATOLOGY (IVDK) *see* BRASCH, J.
FORGACS, I. *see* FRIEDMANN, A.C.
FORSTINGER, C. *see* RICHTIG, E.
FORTUNE, D.G., RICHARDS, H.L., KIRBY, B., MCELHONE, K., MAIN, C.J. & GRIFFITHS, C.E.M. Successful treatment of psoriasis improves psoriasis-specific but not more general aspects of patients' well-being, 1219
FORTUNE, D.G. *see* RICHARDS, H.L.
FOULDS, I.S. *see* LIM, S.P.R.
FRAGA, J. *see* ÁLVAREZ-RUIZ, S.B.
FRANKS, P.J. *see* MOFFATT, C.J.
FRÉMEAUX-BACCHI, V. *see* AMAR, L.
FRIEDMAN, E. *see* SCOPE, A.
FRIEDMANN, A.C., PERERA, G.K., JAYAPRAKASAM, A., FORGACS, I., SALISBURY, J.R. & CREAMER, D. Whipple's disease presenting with symmetrical panniculitis, 907
FRIEDMANN, P. *see* COOPER, H.L.
FRITSCH, P. *see* RICHTIG, E.
FRØLUND, L. *see* ELBERLING, J.
FUCHS, S. *see* FLUHR, J.W.
FUJIMOTO, E., FUJIMOTO, N., KURODA, K. & TAJIMA, S. Leukocytapheresis treatment for pyoderma gangrenosum, 1090
FUJIMOTO, M. *see* SATO, S.
FUJIMOTO, N. *see* FUJIMOTO, E.
FUJIMOTO, W. *see* HAMADA, T.
FUJIWARA, M., NAKAMURA, Y., OZAWA, T., KITOH, A., TANAKA, T., WADA, A., HONJO, G. & NOSE, K. Multilocular giant epidermal cyst, 943
FUJIWARA, S. *see* AKITA, Y.
FUJIWARA, S. *see* ASADA, Y.
FUKAI, K. *see* OISO, N.
FUKUSHIMA, S. & HATTA, N. Atypical moles in a patient undergoing chemotherapy with oral 5-fluorouracil prodrug, 698
FURUKAWA, F. *see* MINAMI, Y.
FUZIWARA, S., OGAWA, K., ASO, D., YOSHIZAWA, D., TAKATA, S. & DENDA, M. Barium sulphate with a negative ζ potential accelerates skin permeability barrier recovery and prevents epidermal hyperplasia induced by barrier disruption, 557

GAFFAL, E. *see* WENZEL, J.
GÁL, M. *see* GYIMESI, E.
GALACHE, C., SANTOS-JUANES, J., BLANCO, S., RODRÍGUEZ, E., MARTÍNEZ, A. & SOTO, J. Q fever: a new cause of 'doughnut' granulomatous lobular panniculitis, 685
GALLERANI, I. *see* MORETTI, S.
GAMO, R. *see* SOPENA, J.
GAO, M. *see* YANG, S.
GARBE, C. *see* BLUM, A.
GARBE, C. *see* MOEHRLE, M.
GARBE, C. *see* RIEG, S.
GARCÍA-DÍEZ, A. *see* ÁLVAREZ-RUIZ, S.B.
GARCÍA-MORALES, I., HERRERA-SAVAL, A., RÍOS, J.J. & CAMACHO, F. Zosteriform cutaneous metastases from Hodgkin's lymphoma in a patient with scrofuloderma and nodal tuberculosis, 722
GARCÍA-RÍO, I. *see* ÁLVAREZ-RUIZ, S.B.

GARIOCH, J.J. *see* LESLIE, K.S.
GARROD, D.R. *see* HISAMATSU, Y.
GASPARI, A.A. *see* CUMMINS, D.L.
GAVIN, A.T. *see* MCMULLEN, E.A.
GEIER, J. *see* BRASCH, J.
GEILEN, C.C. *see* MAKOSZ, T.
GEORGIEVA, J. *see* MAKOSZ, T.
GERBER, C. *see* DUMONT-BERSET, M.
GERMAIN, T. *see* LAMI, M-C.
GHAFFAR, K.A. *see* HEWITT, C.
GHALI, L. *see* ONG, C.
GHURA, V. *see* SALDANHA, G.
GIBBS, S. *see* MOED, H.
GIL, J. *see* GILABERTE, Y.
GILABERTE, Y., REZUSTA, A., GIL, J., SÁENZ-SANTAMARÍA, M.C., COSCOJUELA, C., NAVARRO, M., ZUBIRI, M.L., MOLES, B. & RUBIO, M.C. Tinea capitis in infants in their first year of life, 886
GIMÉNEZ, S. *see* MUNIESA, C.
GIROLOMONI, G. *see* SAMPOGNA, F.
GISONDI, P. *see* SAMPOGNA, F.
GIULIANI, M. *see* LODI, G.
GOLDSMITH, L.A. Clinical Snippets
GOMPELS, M.M. & LOCK, R.J. C1 inhibitor concentrate is safe: reply from authors, 517
GONG, G-Y. *see* LEE, M-W.
GOULD, D.J. *see* CAMPBELL, S.M.
GOULDEN, V. *see* POLLOCK, B.
GRAHAM, G.F. *see* RAPP, D.A.
GRAHAM-BROWN, R.A.C. *see* EEDY, D.J.
GREGORIOU, S. *see* RIGOPOULOS, D.
GRIESHABER, R. *see* FLUHR, J.W.
GRIFFITHS, C.E.M. *see* FORTUNE, D.G.
GRIFFITHS, C.E.M. *see* OWEN, C.M.
GRIFFITHS, C.E.M. *see* PLANT, D.
GRIFFITHS, C.E.M. *see* RICHARDS, H.L.
GRIMALT, F. *see* BLANCH, J.
GRISON-TABONE, C. *see* BOULINGUEZ, S.
GROSSO, F. *see* MARIOTTI, F.
GRUBER, F. *see* KAŠTELAN, M.
GRUBER, F. *see* PRPIĆ MASSARI, L.
GUDJONSSON, J.E. & VALDIMARSSON, H. Streptococcal infection may make psoriasis worse but do antibiotics help?: reply from authors, 245
GUDMUNDSON, F. *see* ERICSON, M.B.
GUILHOU, J.J. *see* BESSIS, D.
GUILHOU, J-J. *see* DEREURE, O.
GUILLET, G. *see* LAMI, M-C.
GUILLOT, B. *see* DEREURE, O.
GUILLOT, B. *see* JACOT, W.
GYIMESI, E., SIPKA, S., DANKÓ, K., KISS, E., HÍDVÉGI, B., GÁL, M., HUNYADI, J., IRINYI, B. & SZEGEDI, A. Basophil CD63 expression assay on highly sensitized atopic donor leucocytes—a useful method in chronic autoimmune urticaria, 388

HAAS, N., KÜSTER, W., ZUBERBIER, T. & HENZ, B.M. Muckle–Wells syndrome: clinical and histological skin findings compatible with cold air urticaria in a large kindred, 99
HAFNER, J. *see* DRAGIEVA, G.
HAFTEK, M. *see* NORGETT, E.E.
HAGARI, Y. *see* MIYAMOTO, T.
HALL, M.A., ANNAS, A., NYMAN, K., TALME, T. & EMTESTAM, L. Basalioma after amiodarone therapy—not only in Britain, 932
HALLIDAY, G.M. *see* SATCHELL, A.C.
HAMADA, T., FUJIMOTO, W., OKAZAKI, F., ASAGOE, K., ARATA, J. & IWATSUKI, K. Lichen planus pemphigoides and multiple keratoacanthomas associated with colon adenocarcinoma, 252
HAMADA, T. *see* VAN HOUGENHOUCK-TULLEKEN, W.
HAMAMOTO, Y., ICHIMIYA, M., YOSHIKAWA, Y. & MUTO, M. Eosinophilic cellulitis associated with molluscum contagiosum, 1279
HAMAMOTO, Y. *see* SUGA, M.
HAMM, H. *see* LOWE, N.
HAMPTON, P.J., FARR, P.M., DIFFEY, B.L. & LLOYD, J.J. Implication for photosensitive patients of ultraviolet A exposure in vehicles, 873
HAN, S-S. *see* LEE, M-W.
HARA, K. *see* MIZUTANI, K.
HARPER, J.I. *see* ONG, C.
HARRIS, A.L. *see* NIJSTEN, T.
HART, G. *see* IBBOTSON, S.H.
HASEGAWA, K. *see* TAMURA, T.
HASEGAWA, M. *see* SATO, S.
HASHIMOTO, C., ABE, M., ONOZAWA, N., YOKOYAMA, Y. & ISHIKAWA, O. Acrogeria (Gottron type): a vascular disorder?, 497
HASHIMOTO, T. *see* HISAMATSU, Y.
HASHIMOTO, T. *see* NAGANO, T.
HATTA, N. *see* FUKUSHIMA, S.
HATTAB, F.N. *see* HEWITT, C.
HATTORI, H. Epidermal cyst containing numerous spherules of keratin, 1286
HAVLICKOVA, B., BÍRÓ, T., MESCALCHIN, A., ARENBERGER, P. & PAUS, R. Towards optimization of an organotypic assay system that imitates human hair follicle-like epithelial–mesenchymal interactions, 753
HAWK, J. *see* IBBOTSON, S.H.
HAWK, J.L.M. *see* PALMER, R.A.
HAYASHI, S. *see* IGARASHI, S.
HEALY, E. *see* COOPER, H.L.
HEARING, V.J. *see* YAMAGUCHI, Y.
HEATON, N. *see* BOWLING, J.C.R.
HEIKKILÄ, H. *see* LEIVO, T.
HEINEMANN, C. *see* KAPPES, U.
HELD, E. *see* KYNEMUND PEDERSEN, L.
HELSING, P. & LOEB, M. Small diameter melanoma: a follow-up of the Norwegian Melanoma Project, 1081
HENGGE, U.R. *see* LYSA, B.
HENZ, B.M. *see* HAAS, N.
HENZ, B.M. *see* KRÜGER-KRASAGAKES, S.
HERRERA-SAVAL, A. *see* GARCÍA-MORALES, I.

HERRMANN, G., KRIEG, T., WEBER, M., SIDHU, H. & HOPPE, B. Unusual painful sclerotic plaques on the legs of a patient with late diagnosis of primary hyperoxaluria type I, 1104
HEWITT, C., WU, C-L., HATTAB, F.N., AMIN, W., GHAFFAR, K.A., TOOMES, C., SLOAN, P., READ, A.P., JAMES, J.A. & THAKKER, N.S. Coinheritance of two rare genodermatoses (Papillon–Lefèvre syndrome and oculocutaneous albinism type 1) in two families: a genetic study, 1261
HÍDVÉGI, B. *see* GYIMESI, E.
HIFT, R.J., MEISSNER, D. & MEISSNER, P.N. A systematic study of the clinical and biochemical expression of variegate porphyria in a large South African family, 465
HILLEMANNS, P. *see* WANG, X.L.
HIRAMATSU, Y. *see* NAGANO, T.
HISAMATSU, Y., AMAGAI, M., GARROD, D.R., KANZAKI, T. & HASHIMOTO, T. The detection of IgG and IgA autoantibodies to desmocollins 1–3 by enzyme-linked immunosorbent assays using baculovirus-expressed proteins, in atypical pemphigus but not in typical pemphigus, 73
HODGINS, M.B. *see* TAVADIA, S.
HOFMANN-WELLENHOF, R. *see* RICHTIG, E.
HOLICK, M.F. *see* DURAKOVIC, C.
HOLLAND, J.M. *see* MACHTINGER, L.A.
HOLM, J.Ø. *see* DALGARD, F.
HOLME, S.A. *see* LEWIS, V.J.
HONJO, G. *see* FUJIWARA, M.
HOPPE, B. *see* HERRMANN, G.
HORIKOSHI, T. *see* IGARASHI, S.
HOSOKAWA, K. *see* YAMAGUCHI, Y.
HSIAO, C-H. *see* CHEN, H-H.
HSIEH, M.Y. & HUANG, P.H. The juvenile variant of papular–purpuric gloves and socks syndrome and its association with viral infections, 201
HU, C-H. *see* FANG, J-Y.
HU, X.L. *see* YANG, S.
HUANG, P.H. *see* HSIEH, M.Y.
HUANG, S-M. *see* LAN, C-C.E.
HULSMANS, R.F.H.J. *see* WESTERHOF, W.
HUNYADI, J. *see* GYIMESI, E.
HUTCHINSON, P.E. *see* CHAVE, T.A.

IBBOTSON, S.H., BILSLAND, D., COX, N.H., DAWE, R.S., DIFFEY, B., EDWARDS, C., FARR, P.M., FERGUSON, J., HART, G., HAWK, J., LLOYD, J., MARTIN, C., MOSELEY, H., McKENNA, K., RHODES, L.E. & TAYLOR, D.K. An update and guidance on narrowband ultraviolet B phototherapy: a British Photodermatology Group Workshop Report, 283
IBBOTSON, S.H. *see* BEATTIE, P.E.
IBBOTSON, S.H. *see* FLEMING, C.J.
IBBOTSON, S.H. *see* MAN, I.
ICHIMIYA, M. *see* HAMAMOTO, Y.
IDEZUKI, T. *see* MITSUI, H.
IDOATE, M. *see* REDONDO, P.
IGARASHI, S., TAKIZAWA, T., TAKIZAWA, T., YASUDA, Y., UCHIWA, H., HAYASHI, S., BRYSK, H., ROBINSON, J.M., YAMAMOTO, K., BRYSK, M.M. & HORIKOSHI, T. Cathepsin D, but not cathepsin E, degrades desmosomes during epidermal desquamation, 355
IGLESIAS, L. *see* SOPENA, J.
IHN, H. *see* JINNIN, M.
IHN, H. *see* MIMURA, Y.
IKADA, S. *see* ASAI, J.
IMOKAWA, G. *see* TSUKAHARA, K.
INGVAR, C. *see* NIELSEN, K.
INOUE, S. *see* MIYAMOTO, T.
IOANNIDES, D. *see* RIGOPOULOS, D.
IRINYI, B. *see* GYIMESI, E.
ISHIHARA, K. *see* NAGANO, T.
ISHII, M. *see* OISO, N.
ISHIKAWA, O. *see* HASHIMOTO, C.
ISHIKAWA, O. *see* TAKEUCHI, Y.
ITAMI, S. *see* YAMAGUCHI, Y.
ITO, K., OCHIAI, T., SUZUKI, H., CHIN, M., SHICHINO, H. & MUGISHIMA, H. The effect of haematopoietic stem cell transplant on papules with 'pebbly' appearance in Hunter's syndrome, 207
ITO, S. *see* AKITA, Y.
IVERSEN, L. *see* JOHANSEN, C.
IWASAKI, T. *see* AOKI-OTA, M.
IWATSUKI, K. *see* HAMADA, T.

JACOBSON, C.C. & KIMBALL, A.B. Rethinking the Psoriasis Area and Severity Index: the impact of area should be increased, 381
JACOT, W., BESSIS, D., JORDA, E., YCHOU, M., FABBRO, M., PUJOL, J-L. & GUILLOT, B. Acneiform eruption induced by epidermal growth factor receptor inhibitors in patients with solid tumours, 238
JAEN, P. *see* LOWE, N.
JAHKOLA, T. *see* WECKROTH, M.
JAMES, J.A. *see* HEWITT, C.
JANG, H-S., JO, J-H., KIM, B-S., JUN, G-J., LEE, J-B., KIM, M-B., OH, C-K. & KWON, K-S. A case of severe tongue ulceration and laryngeal inflammation induced by low-dose nicorandil therapy, 939
JANG, H-S., JUNG, D., KIM, S., JO, J., LEE, J., KIM, M., OH, C. & KWON, K. A case of primary erythromelalgia improved by mexiletine, 708
JANSEN, T. Azelaic acid as a new treatment for perioral dermatitis: results from an open study, 933
JAYAPRAKASAM, A. *see* FRIEDMANN, A.C.
JEE, K-J. *see* LEE, M-W.
JENKINS, T. *see* VAN HOUGENHOUCK-TULLEKEN, W.
JEON, Y-K. *see* CHO, K-H.
JEONG, E.G., PARK, H.J., LEE, J.Y. & CHO, B.K. Leukaemic macrocheilia in acute myeloblastic leukaemia, 1102
JINNIN, M., IHN, H., YAMANE, K., ASANO, Y., YAZAWA, N. & TAMAKI, K. Serum levels of tissue inhibitor of metalloproteinase-1 and 2 in patients with eosinophilic fasciitis, 407
JINNIN, M. *see* MIMURA, Y.
JINNIN, M. *see* MITSUI, H.

JO, J. *see* JANG, H-S.
JO, J-H. *see* JANG, H-S.
JOHANSEN, C., KRAGBALLE, K., RASMUSSEN, M., DAM, T.N. & IVERSEN, L. Activator protein 1 DNA binding activity is decreased in lesional psoriatic skin compared with nonlesional psoriatic skin, 600
JOHANSEN, J.D. *see* ELBERLING, J.
JOHANSEN, J.D. *see* KYNEMUND PEDERSEN, L.
JONES, L. *see* BLACK, A.P.B.
JONKMAN, M.F. *see* PASMOOIJ, A.M.G.
JONKMAN, M.f. *see* VODEGEL, R.M.
JONSSON, N. *see* NIELSEN, K.
JORDA, E. *see* JACOT, W.
JORGENSEN, C. *see* DEREURE, O.
JUN, G-J. *see* JANG, H-S.
JUNG, D. *see* JANG, H-S.
JUNGBLUTH, A.A. *see* LÜFTL, M.

KABASHIMA, K., SAKURAI, T. & MIYACHI, Y. Treatment of eosinophilic pustular folliculitis (Ofuji's disease) with tacrolimus ointment, 949
KADONO, T. *see* MITSUI, H.
KAHN, J.E. *see* AMAR, L.
KAIDBEY, K. *see* MACHTINGER, L.A.
KAKUO, S. *see* TSUKAHARA, K.
KAKURAI, M. *see* OSAWA, M.
KALBACHER, H. *see* RIEG, S.
KALOGEROMITROS, D. *see* RIGOPOULOS, D.
KAMINISHI, K. *see* KAWAKAMI, T.
KAMIYA, M. *see* TAKEUCHI, Y.
KANEDA, K. *see* ASADA, Y.
KANZAKI, T. *see* HISAMATSU, Y.
KAO, Y-H. *see* LAN, C-C.E.
KAPPELER, A. *see* MICHALOPOULOS, P.
KAPPES, U., SCHLIEMANN-WILLERS, S., BANKOVA, L., HEINEMANN, C., FISCHER, T.W., ZIEMER, M., SCHUBERT, H., NORGAUER, J., FLUHR, J.W. & ELSNER, P. The quality of human skin xenografts on SCID mice: a noninvasive bioengineering approach, 971
KARASAWA, A. *see* TAMURA, T.
KARLHOFER, F. *see* KOPP, T.
KARLSSON, M. *see* ERICSON, M.B.
KARRER, S., BOSSERHOFF, A.K., WEIDERER, P., LANDTHALER, M. & SZEIMIES, R-M. Keratinocyte-derived cytokines after photodynamic therapy and their paracrine induction of matrix metalloproteinases in fibroblasts, 776
KASKEL, P. *see* WALTHER, U.
KAŠTELAN, M., PRPIĆ MASSARI, L., GRUBER, F., ZAMOLO, G., ŽAUHAR, G., ČOKLO, M. & RUKAVINA, D. Perforin expression is upregulated in the epidermis of psoriatic lesions, 831
KAŠTELAN, M. *see* PRPIĆ MASSARI, L.
KATSAMBAS, A. *see* RIGOPOULOS, D.
KAVANAGH, G.M., OH, C. & SHAMS, K. BOTOX® delivery by iontophoresis, 1093
KAVANAGH, G.M. *see* LALLA, S.
KAWAKAMI, T., SOMA, Y., KAMINISHI, K., KIMURA, S., TUTUMI, Y. & MIZOGUCHI, M. Primary cutaneous anaplastic large cell lymphoma in an elderly patient with cryoglobulinaemic hepatitis C virus infection, 941
KEALEY, T. *see* DOWNIE, M.M.T.
KEE, F. *see* MCMULLEN, E.A.
KEHRER, H. *see* RICHTIG, E.
KELM, I. *see* KRÜGER-KRASAGAKES, S.
KELSELL, D.P. *see* NORGETT, E.E.
KELTERER, D. *see* FLUHR, J.W.
KEMPF, W. *see* DRAGIEVA, G.
KENNEDY, C. *see* CONNOLLY, M.
KERL, H. *see* RICHTIG, E.
KIETZMANN, M. *see* BÄUMER, W.
KIM, B-S. *see* JANG, H-S.
KIM, C-W. *see* CHO, K-H.
KIM, D-W. *see* NA, G-Y.
KIM, H.O. *see* KIM, J.E.
KIM, H.O. *see* SONG, J.Y.
KIM, J.E., KIM, M-Y., KIM, H.O. & PARK, Y.M. Plasma cell leukaemia cutis preferentially localized to recent puncture sites, 237
KIM, J-C. *see* NA, G-Y.
KIM, M. *see* JANG, H-S.
KIM, M.Y. *see* SONG, J.Y.
KIM, M-B. *see* JANG, H-S.
KIM, M-K. *see* NA, G-Y.
KIM, M-Y. *see* KIM, J.E.
KIM, N-H. *see* LEE, A-Y.
KIM, S. *see* JANG, H-S.
KIM, S-H. *see* CHO, Y-H.
KIM, W-S. *see* RHO, N-K.
KIMBALL, A.B. *see* JACOBSON, C.C.
KIMURA, A. *see* MINAMI, Y.
KIMURA, S. *see* KAWAKAMI, T.
KINDERMANN-GLEBOWSKI, E. *see* RICHTIG, E.
KING, A.S. *see* BLACK, A.P.B.
KIRBY, B. *see* FORTUNE, D.G.
KIRKHAM, B. *see* CHEW, A-L.
KIRNAP, M. *see* YAZICI, C.
KISHIGAWA, T. *see* NISHIMURA, Y.
KISHIMOTO, S. *see* ASAI, J.
KISS, E. *see* GYIMESI, E.
KITOH, A. *see* FUJIWARA, M.
KLEESZ, P. *see* FLUHR, J.W.
KLEIN, G. *see* RICHTIG, E.
KODERA, M. *see* SATO, S.
KOFMAN-ALFARO, S. *see* POZO, G.
KOH, J-K. *see* LEE, M-W.
KOHRIYAMA, K. *see* NAGANO, T.
KOIKE, S. *see* OHNISHI, T.
KOLK, A.H.J. *see* AZIZ, S.A.
KOLLER, J. *see* RICHTIG, E.
KONRAD, K. *see* RICHTIG, E.
KOPP, T., KARLHOFER, F., SZÉPFALUSI, Z., SCHNEEBERGER, A., STINGL, G. & TANEW, A. Successful use of acitretin in conjunction with narrowband ultraviolet B

phototherapy in a child with severe pustular psoriasis, von Zumbusch type, 912
KORMEILI, T., LOWE, N.J. & YAMAUCHI, P.S. Psoriasis: immunopathogenesis and evolving immunomodulators and systemic therapies; U.S. experiences, 3
KOS, C. *see* RICHTIG, E.
KÖSE, K. *see* YAZICI, C.
KOYASU, S. *see* AOKI-OTA, M.
KOZAKI, K. *see* AKITA, Y.
KRAEMER, A. *see* MOEHRLE, M.
KRAGBALLE, K. *see* JOHANSEN, C.
KRÄHN, G. *see* WALTHER, U.
KREKELS, G.A.M. *see* SMEETS, N.W.J.
KREYDEN, O. *see* LOWE, N.
KRIEG, T. *see* HERRMANN, G.
KRON, M. *see* WALTHER, U.
KRÜGER-KRASAGAKES, S., KELM, I. & HENZ, B.M. Human mast cells and extracellular matrix: immunohistochemical studies of normal skin and inflammatory dermatoses, 928
KUBO, T. *see* YAMAGUCHI, Y.
KUIJPERS, D.I.M. *see* SMEETS, N.W.J.
KUMAR, B. *see* PRASAD, G.N.
KURATANI, K. *see* MIHARA, K.
KURODA, K. *see* FUJIMOTO, E.
KÜSTER, W. *see* HAAS, N.
KWON, I-H. *see* CHO, K-H.
KWON, K. *see* JANG, H-S.
KWON, K-S. *see* JANG, H-S.
KYLE, S.D. & PORTER, W.M. *Mycobacterium chelonae* infection successfully treated with oral clarithromycin and linezolid, 1101
KYNEMUND PEDERSEN, L., AGNER, T., HELD, E. & JOHANSEN, J.D. Methyldibromoglutaronitrile in leave-on products elicits contact allergy at low concentration, 817

LACROIX, C. *see* MENOTTI, J.
LAFFITTE, E. *see* DUMONT-BERSET, M.
LAI, F.J. *see* SHEEN, M.C.
LALLA, S. & KAVANAGH, G.M. Acquired pseudoxanthoma elasticum of the elbow flexures, 242
LAMANT, L. *see* BOULINGUEZ, S.
LAMB, S.R. & WILKINSON, S.M. Audit of primary and secondary care as a source of patch test clinic referrals, 1258
LAMBERT, J. *see* NIJSTEN, T.
LAMI, M-C., VABRES, P., DREYFUS, B., GERMAIN, T. & GUILLET, G. Primary cutaneous B-cell lymphoma mimicking pyoderma gangrenosum: first-line treatment with rituximab, 250
LAN, C.C.E. *see* SHEEN, M.C.
LAN, C.C.E., TSAI, W.C., WU, C-S., YU, C-L. & YU, H-S. Psoriatic patients with arthropathy show significant expression of free HLA class I heavy chains on circulating monocytes: a potential role in the pathogenesis of psoriatic arthropathy, 24
LAN, C-C.E., KAO, Y-H., HUANG, S-M., YU, H-S. & CHEN, G-S. FK506 independently upregulates transforming growth factor β and downregulates inducible nitric oxide synthase in cultured human keratinocytes: possible mechanisms of how tacrolimus ointment interacts with atopic skin, 679
LANDI, F. *see* CAPIZZI, R.
LANDTHALER, M. *see* KARRER, S.
LANG, A. *see* RICHTIG, E.
LANGAN, S.M., DERVAN, P. & O'LOUGHLIN, S. A moving scalp nodule in a returning traveller!, 1270
LANGBEIN, L. *see* PERRIN, C.
LANIGAN, S.W. & TAIBJEE, S.M. Recent advances in laser treatment of port-wine stains, 527
LARKÖ, O. *see* ERICSON, M.B.
LAŠKARIN, G. *see* PRPIĆ MASSARI, L.
LATINI, A. *see* SIMEONE, P.
LAZZARINO, M. *see* VASSALLO, C.
LEAR, J. *see* PLANT, D.
LEE, A-Y., YOUM, Y-H., KIM, N-H., YANG, H. & CHOI, W-I. Keratinocytes in the depigmented epidermis of vitiligo are more vulnerable to trauma (suction) than keratinocytes in the normally pigmented epidermis, resulting in their apoptosis, 995
LEE, D-Y. *see* RHO, N-K.
LEE, E-S. *see* RHO, N-K.
LEE, J. *see* JANG, H-S.
LEE, J.Y. *see* JEONG, E.G.
LEE, J.Y.-Y. *see* YANG, C-C.
LEE, J-B. *see* JANG, H-S.
LEE, J-H. *see* RHO, N-K.
LEE, J-Y. *see* LIN, J-H.
LEE, M-G. *see* CHO, Y-H.
LEE, M-W., AHN, S-J., CHOI, J-H., MOON, K-C. & KOH, J-K. Actin and calponin expression in basal cell carcinoma, 934
LEE, M-W., JEE, K-J., HAN, S-S., GONG, G-Y., CHOI, J-H., MOON, K-C. & KOH, J-K. Comparative genomic hybridization in epithelioid sarcoma, 1054
LEE, R.J. *see* MCKENNA, D.B.
LEE, S-H. *see* CHO, K-H.
LEE, S-J. *see* CHO, K-H.
LEE, S-J. *see* NA, G-Y.
LEE, S-K. *see* CHO, K-H.
LEE, W-R. *see* FANG, J-Y.
LEHMAN, N.L. *see* LEHMAN, T.D.
LEHMAN, T.D., MORGAN, T.K., LEHMAN, N.L., VOGEL, H. & MCGUIRE, J.S. Recessive dystrophic epidermolysis bullosa associated with mesangioproliferative glomerulonephritis and multifocal necrotizing leucoencephalopathy of the pons, 1266
LEIGH, I.M. *see* NORGETT, E.E.
LEIVO, T. & HEIKKILÄ, H. Naproxen-induced generalized bullous fixed drug eruption, 232
LEJEUNE, F. *see* MARROT, L.
LEROUX, T. *see* BERCOVITCH, L.
LESLIE, K.S., BARKER, T.H.W. & GARIOCH, J.J. Scabies infestation of a basal cell carcinoma, 926
LEWIS, V.J., HOLME, S.A., WRIGHT, A. & ANSTEY, A.V. Rosacea fulminans in pregnancy, 917

LI, Y-H., CHEN, G., DONG, X-P. & CHEN, H-D. Detection of epidermodysplasia verruciformis-associated human papillomavirus DNA in nongenital seborrhoeic keratosis, 1060
LIANG, Y.H. *see* YANG, S.
LIAO, K.H. *see* WANG, X.L.
LIDOVE, O. *see* AMAR, L.
LILLINGTON, D.M. *see* MAO, X.
LIM, J. *see* MACHTINGER, L.A.
LIM, S.P.R., PRAIS, L. & FOULDS, I.S. Henna tattoos for children: a potential source of para-phenylenediamine and thiuram sensitization, 1271
LIN, D. *see* YANG, S.
LIN, G.S. *see* YANG, S.
LIN, H. *see* LU, L.
LIN, J-H., LEE, J-Y., CHAO, S-C. & TSAO, C-J. Telangiectatic metastatic breast carcinoma preceded by en cuirasse metastatic breast carcinoma, 523
LIN, S.D. *see* SHEEN, M.C.
LINNEBERG, A. *see* ELBERLING, J.
LIU, J.B. *see* YANG, S.
LIU, Y. *see* BISSONNETTE, R.
LIU, Y. *see* LU, L.
LLOYD, J. *see* IBBOTSON, S.H.
LLOYD, J.J. *see* DAS, S.
LLOYD, J.J. *see* HAMPTON, P.J.
LOCERTALES PUEYO, J. *see* ÁLVAREZ-RUIZ, S.B.
LOCK, R.J. *see* GOMPELS, M.M.
LODI, G., GIULIANI, M., MAJORANA, A., SARDELLA, A., BEZ, C., DEMAROSI, F. & CARRASSI, A. Lichen planus and hepatitis C virus: a multicentre study of patients with oral lesions and a systematic review, 1172
LOEB, M. *see* HELSING, P.
LÖFFLER, H., DREHER, F. & MAIBACH, H.I. Stratum corneum adhesive tape stripping: influence of anatomical site, application pressure, duration and removal, 746
LOMBARDI, C. *see* BILENCHI, R.
LONGHURST, H. C1 inhibitor concentrate is safe, 517
LÓPEZ MORATALLA, N. *see* SÁNCHEZ-CARPINTERO, I.
LÓPEZ-ZABALZA, M.J. *see* SÁNCHEZ-CARPINTERO, I.
LOVEN, K.H. *see* MACHTINGER, L.A.
LOWE, N., CAMPANATI, A., BODOKH, I., CLIFF, S., JAEN, P., KREYDEN, O., NAUMANN, M., OFFIDANI, A., VADOUD, J. & HAMM, H. The place of botulinum toxin type A in the treatment of focal hyperhidrosis, 1115
LOWE, N.J. *see* KORMEILI, T.
LU, L., YING, K., WEI, S., LIU, Y., LIN, H. & MAO, Y. Dermal fibroblast-associated gene induction by asiaticoside shown *in vitro* by DNA microarray analysis, 571
LÜBBE, J. & SORG, O. Tacrolimus ointment and skin carcinogenesis in the DMBA/TPA model in mice, 1275
LUEDTKE, H. *see* BLUM, A.
LÜFTL, M., SCHULER, G. & JUNGBLUTH, A.A. Melanoma or not? Cancer testis antigens may help, 1213
LUGER, T.A. *see* BÖHM, M.
LYSA, B., TARTLER, U., WOLF, R., ARENBERGER, P., BENNINGHOFF, B., RUZICKA, T., HENGGE, U.R. & WALZ, M. Gene expression in actinic keratoses: pharmacological modulation by imiquimod, 1150

MCELHONE, K. *see* FORTUNE, D.G.
MCGRATH, J.A. *see* CHAN, I.
MCGUIRE, J.S. *see* LEHMAN, T.D.
MACHOUART, M. *see* MENOTTI, J.
MACHTINGER, L.A., KAIDBEY, K., LIM, J., LOVEN, K.H., RIST, T.E., WILSON, D.C., PARIZADEH, D.D., SEFTON, J., HOLLAND, J.M. & WALKER, P.S. Histological effects of tazarotene 01% cream vs. vehicle on photodamaged skin: a 6-month, multicentre, double-blind, randomized, vehicle-controlled study in patients with photodamaged facial skin, 1245
MCKENNA, D.B., MARIONI, J.C., LEE, R.J., PRESCOTT, R.J. & DOHERTY, V.R. A comparison of dermatologists', surgeons' and general practitioners' surgical management of cutaneous melanoma, 636
McKENNA, K. *see* IBBOTSON, S.H.
MADSEN, F. *see* ELBERLING, J.
MAIBACH, H.I. *see* LÖFFLER, H.
MAIER, L.M. *see* DOWNIE, M.M.T.
MAIN, C.J. *see* FORTUNE, D.G.
MAJORANA, A. *see* LODI, G.
MAKOSZ, T., ASSAF, C., GEORGIEVA, J., ORFANOS, C.E. & GEILEN, C.C. Detection of malignant melanoma in a giant congenital naevocytic naevus by positron emission tomography, 724
MALLIPEDDI, R. *see* COOPER, H.L.
MALONE, M. *see* ONG, C.
MAN, I., DAWE, R.S., FERGUSON, J. & IBBOTSON, S.H. The optimal time to determine the minimal phototoxic dose in skin photosensitized by topical 8 methoxypsoralen, 179
MAO, X., ORCHARD, G., LILLINGTON, D.M., CHILD, F.J., VONDERHEID, E.C., NOWELL, P.C., BAGOT, M., BENSUSSAN, A., RUSSELL-JONES, R., YOUNG, B.D. & WHITTAKER, S.J. BCL2 and JUNB abnormalities in primary cutaneous lymphomas, 546
MAO, Y. *see* LU, L.
MARCOVAL, J. *see* MUNIESA, C.
MARIONI, J.C. *see* MCKENNA, D.B.
MARIOTTI, F., GROSSO, F., TERRACINA, M., RUFFELLI, M., CORDIALI-FEI, P., SERA, F., ZAMBRUNO, G., MASTROGIACOMO, A. & ZENZO, G.D. Development of a novel ELISA system for detection of anti-BP180 IgG and characterization of autoantibody profile in bullous pemphigoid patients, 1004
MARROT, L., BELAÏDI, J.P., LEJEUNE, F., MEUNIER, J.R., ASSELINEAU, D. & BERNERD, F. Photostability of sunscreen products influences the efficiency of protection with regard to UV-induced genotoxic or photoageing-related endpoints, 1234
MARSLAND, A. *see* PLANT, D.
MARTIN, C. *see* IBBOTSON, S.H.
MARTÍNEZ, A. *see* GALACHE, C.
MASALA, M.V. *see* COTTONI, F.
MÅSBÄCK, A. *see* NIELSEN, K.

MASSANA, G. *see* BLANCH, J.
MASSI, D. *see* MORETTI, S.
MASSUTI, B. *see* PASCUAL, J.C.
MASTROGIACOMO, A. *see* MARIOTTI, F.
MATÍAS-GUIU, X. *see* VIDAL, D.
MATSUBARA, M. *see* TAMURA, T.
MATSUI, T. *see* MIHARA, K.
MATSUMOTO, Y. *see* AKITA, Y.
MATSUMOTO, Y. *see* MIZUTANI, K.
MCCLUGGAGE, W.G. *see* WOO, W.K.
MCGRATH, J. *see* COOPER, H.L.
MCGRATH, J.A. *see* VAN HOUGENHOUCK-TULLEKEN, W.
MCLEAN, W.H.I. *see* VAN HOUGENHOUCK-TULLEKEN, W.
MCMILLAN, J.C. *see* WOO, W.K.
MCMILLAN, S.A. *see* WOO, W.K.
MCMULLEN, E.A., KEE, F., PATTERSON, C.C., GAVIN, A.T. & DOLAN, O.M. Improved survival for melanoma in Northern Ireland: a comparison of two 5-year periods (1984–88 and 1994–98), 587
MEDALIE, N. & ACKERMAN, A.B. Sentinel node biopsy has no benefit for patients whose primary cutaneous melanoma has metastasized to a lymph node and therefore should be abandoned now, 298
MEISSNER, D. *see* HIFT, R.J.
MEISSNER, P.N. *see* HIFT, R.J.
MELCHI, C.F. *see* SAMPOGNA, F.
MENOTTI, J., MACHOUART, M., BENDERDOUCHE, M., CETRE-SOSSAH, C., MOREL, P., DUBERTRET, L., DEROUIN, F., FEUILHADE DE CHAUVIN, M. & LACROIX, C. Polymerase chain reaction for diagnosis of dermatophyte and *Scytalidium* spp. onychomycosis, 518
MERK, H.F. *see* SACHS, B.
MESCALCHIN, A. *see* HAVLICKOVA, B.
MEUNIER, J.R. *see* MARROT, L.
MEURER, M. *see* WALTHER, U.
MICHALOPOULOS, P., YAWALKAR, N., BRÖNNIMANN, M., KAPPELER, A. & BRAATHEN, L.R. Characterization of the cellular infiltrate during successful topical treatment of lentigo maligna with imiquimod, 903
MICHELONI, A., DE LUCA, N., TADINI, G., ZAMBRUNO, G. & D'ALESSIO, M. Intracellular degradation of β4 integrin in lethal junctional epidermolysis bullosa with pyloric atresia, 796
MICHELOUD, D. *see* SARMIENTO, E.
MIERTUSOVA, S., BONIN, S., TREVISAN, G. & STANTA, G. Mycosis fungoides is not associated with hepatitis C virus infection, 1108
MIHARA, K., KURATANI, K., MATSUI, T., NAKAMURA, M. & YOKOTA, K. Vital role of the itch–scratch response in development of spontaneous dermatitis in NC/Nga mice, 335
MIHARA, M. *see* MIYAMOTO, T.
MILANI, M. *see* CAPIZZI, R.
MIMURA, Y., IHN, H., JINNIN, M., ASANO, Y., YAMANE, K., YAZAWA, N. & TAMAKI, K. Rheumatoid factor isotypes and anti-agalactosyl IgG antibodies in systemic sclerosis, 803
MINAMI, Y., UEDE, K., SAGAWA, K., KIMURA, A., TSUJI, T. & FURUKAWA, F. Immunohistochemical staining of cutaneous tumours with G-81, a monoclonal antibody to dermcidin, 165
MISCHER, P. *see* RICHTIG, E.
MITSUI, H., WATANABE, T., JINNIN, M., KADONO, T., IDEZUKI, T. & TAMAKI, K. Mucinous carcinoma of the skin could have either an eccrine or an apocrine origin, 1285
MIYACHI, Y. *see* KABASHIMA, K.
MIYACHI, Y. *see* MORITA, K.
MIYAISHI, O. *see* AKITA, Y.
MIYAMOTO, T., INOUE, S., HAGARI, Y. & MIHARA, M. Infantile perianal pyramidal protrusion with hard stool history, 229
MIZOGUCHI, M. *see* KAWAKAMI, T.
MIZUNO, N. *see* OISO, N.
MIZUTANI, K., TAMADA, Y., HARA, K., TSUZUKI, T., SAEKI, H., TAMAKI, K. & MATSUMOTO, Y. Imatinib mesylate inhibits the growth of metastatic lung lesions in a patient with dermatofibrosarcoma protuberans, 235
MOED, H., BOORSMA, D.M., STOOF, T.J., VON BLOMBERG, B.M.E., BRUYNZEEL, D.P., SCHEPER, R.J., GIBBS, S. & RUSTEMEYER, T. Nickel-responding T cells are CD4+ CLA+ CD45RO+ and express chemokine receptors CXCR3, CCR4 and CCR10, 32
MOEHRLE, M., KRAEMER, A., SCHIPPERT, W., GARBE, C., RASSNER, G. & BREUNINGER, H. Clinical risk factors and prognostic significance of local recurrence in cutaneous melanoma, 397
MOFFATT, C.J. & FRANKS, P.J. Implementation of a leg ulcer strategy, 857
MOLES, B. *see* GILABERTE, Y.
MOLÈS, J.P. *see* BESSIS, D.
MONK, B. Amiodarone and basal cell carcinoma, coincidence or association?, 933
MONTAG, S. *see* WENZEL, J.
MONTESU, M.A. *see* COTTONI, F.
MOON, K-C. *see* LEE, M-W.
MOREL, P. *see* MENOTTI, J.
MORENO, A. *see* MUNIESA, C.
MORETTI, S., AMATO, L., MASSI, D., BIANCHI, B., GALLERANI, I. & FABBRI, P. Evaluation of inflammatory infiltrate and fibrogenic cytokines in pseudopelade of Brocq suggests the involvement of T-helper 2 and 3 cytokines, 84
MORGAN, J., OSEROFF, A.R. & CHENEY, R.T. Expression of the peripheral benzodiazepine receptor is decreased in skin cancers in comparison with normal skin, 846
MORGAN, T.K. *see* LEHMAN, T.D.
MORITA, K., TSUKITA, S. & MIYACHI, Y. Tight junction-associated proteins (occludin, ZO-1, claudin-1, claudin-4) in squamous cell carcinoma and Bowen's disease, 328
MORIWAKI, S. *see* TSUKAHARA, K.
MORRI, M. *see* CALISTA, D.
MORTIMER, N.J. *see* CHAVE, T.A.
MORTON, D.L. & COCHRAN, A.J. The case for lymphatic mapping and sentinel lymphadenectomy in the management of primary melanoma, 308

MOSBECH, H. *see* ELBERLING, J.
MOSELEY, H. *see* IBBOTSON, S.H.
MOSS, C. *see* BARON, S.E.
MOSS, C. *see* TAIBJEE, S.M.
MOTOLESE, E. *see* BILENCHI, R.
MOTOLESE, P.A. *see* BILENCHI, R.
MUGISHIMA, H. *see* ITO, K.
MUNIESA, C., MARCOVAL, J., MORENO, A., GIMÉNEZ, S., SÁNCHEZ, J., FERRERES, J.R. & PEYRÍ, J. Coumarin necrosis induced by renal insufficiency, 502
MUNRO, C.S. *see* TAVADIA, S.
MURATORE, L. *see* CALOGIURI, G.F.
MUTO, M. *see* HAMAMOTO, Y.
MUTO, M. *see* SUGA, M.

NA, G-Y., SEO, S-K., LEE, S-J., KIM, D-W., KIM, M-K. & KIM, J-C. Upregulation of the NNP-1 (novel nuclear protein-1, D21S2056E) gene in keloid tissue determined by cDNA microarray and *in situ* hybridization, 1143
NACAK, M. *see* OZKUR, M.
NAGANO, T., TANI, M., HIRAMATSU, Y., KOHRIYAMA, K., ISHIHARA, K., NEI, M. & HASHIMOTO, T. A case of epidermolysis bullosa acquisita with bleeding tendency due to factor VIII inhibitor (acquired haemophilia), 716
NAGEL, J. *see* NIELSEN, K.
NAKAGAWA, A. *see* AKITA, Y.
NAKAGAWA, H. *see* TSUKAHARA, K.
NAKAGAWA, K. *see* OISO, N.
NAKAMURA, M. *see* MIHARA, K.
NAKAMURA, Y. *see* FUJIWARA, M.
NAKANO, Y. Stress-induced modulation of skin immune function: two types of antigen-presenting cells in the epidermis are differentially regulated by chronic stress, 50
NALDI, L. *see* VAN COEVORDEN, A.M.
NAUMANN, M. *see* LOWE, N.
NAVARRO, M. *see* GILABERTE, Y.
NAVARRO, V. *see* BLANCH, J.
NAYAK, C. *see* CHAN, I.
NEI, M. *see* NAGANO, T.
NELEMANS, P. *see* SMEETS, N.W.J.
NEMOTO, I. *see* OHNISHI, T.
NETTIS, E., COLANARDI, M.C., FERRANNINI, A. & TURSI, A. Sodium benzoate-induced repeated episodes of acute urticaria/angio-oedema: randomized controlled trial, 898
NETTIS, E. *see* CALOGIURI, G.F.
NEUMANN, H.A.M. *see* SMEETS, N.W.J.
NIELSEN, K., INGVAR, C., MÅSBÄCK, A., WESTERDAHL, J., BORG, Å., SANDBERG, T., JONSSON, N., NAGEL, J. & OLSSON, H. A familial syndromic association between cutaneous malignant melanoma and neural system tumours: reply from authors, 1279
NIELSEN, N.H. *see* ELBERLING, J.
NIJENHUIS, A.M. *see* PASMOOIJ, A.M.G.
NIJSTEN, T., COLPAERT, C.G., VERMEULEN, P.B., HARRIS, A.L., VAN MARCK, E. & LAMBERT, J. Cyclooxygenase-2 expression and angiogenesis in squamous cell carcinoma of the skin and its precursors: a paired immunohistochemical study of 35 cases, 837
NISHIDA, J. *see* OSAWA, M.
NISHIKAWA, N. *see* AKITA, Y.
NISHIKAWA, T. *see* AOKI-OTA, M.
NISHIMURA, Y., KISHIGAWA, T. & TANAKA, T. Bilateral Bowen's disease, 216
NISHIYAMA, T. *see* AMANO, S.
NISTICÒ, S., COSTANZO, A., SARACENO, R. & CHIMENTI, S. Efficacy of monochromatic excimer laser radiation (308 nm) in the treatment of early stage mycosis fungoides, 877
NIWA, Y. Tacrolimus ointment and skin carcinogenesis in the DMBA/TPA model in mice: reply from authors, 1276
NOGUCHI, T. *see* AKITA, Y.
NORGAUER, J. *see* FLUHR, J.W.
NORGAUER, J. *see* KAPPES, U.
NORGETT, E.E., WOLF, F., BALME, B., LEIGH, I.M., PERROT, H., KELSELL, D.P. & HAFTEK, M. Hereditary 'white nails': a genetic and structural study, 65
NOSE, K. *see* FUJIWARA, M.
NOWELL, P.C. *see* MAO, X.
NYMAN, K. *see* HALL, M.A.

O'LOUGHLIN, S. *see* LANGAN, S.M.
O'TOOLE, E.A. *see* ONG, C.
OBERMOSER, G., POSCH, L. & ZELGER, B. Spitting out the tongue, 721
OCHIAI, T. *see* ITO, K.
OFFIDANI, A. *see* LOWE, N.
OGASAWARA, Y. *see* SUGA, M.
OGAWA, K. *see* FUZIWARA, S.
OGG, G.S. *see* BLACK, A.P.B.
OGURA, Y. *see* AMANO, S.
OH, C. *see* JANG, H-S.
OH, C. *see* KAVANAGH, G.M.
OH, C-K. *see* JANG, H-S.
OHMORI, K. *see* TAMURA, T.
OHNISHI, T., SHIBUYA, S., NEMOTO, I., KOIKE, S., TAKIZAWA, H., SUZUKI, T. & WATANABE, S. Evidence from mucin core protein expression that some Paget's disease on areola can be of extramammary-like histogenesis and part of multisite disease, 688
OHUCHI, A. *see* TSUKAHARA, K.
OISO, N., MIZUNO, N., FUKAI, K., NAKAGAWA, K. & ISHII, M. Mild phenotype of familial cylindromatosis associated with an R758X nonsense mutation in the *CYLD* tumour suppressor gene, 1084
OKAZAKI, F. *see* HAMADA, T.
OKUDA, M. *see* SUGA, M.
OLSSON, H. *see* NIELSEN, K.
ONG, C., O'TOOLE, E.A., GHALI, L., MALONE, M., SMITH, V.V., CALLARD, R. & HARPER, J.I. LEKTI demonstrable by immunohistochemistry of the skin: a potential diagnostic skin test for Netherton syndrome, 1253
ONOZAWA, N. *see* HASHIMOTO, C.
ORCHARD, G. *see* MAO, X.

ORCHARD, G. *see* THEIN, M.
ORFANOS, C.E. *see* MAKOSZ, T.
ORLANDI, A. *see* BIANCHI, L.
OSAWA, M., UMEMOTO, N., TAJIMA, N., SUGAWARA, H., NISHIDA, J., KAKURAI, M., TODA, S. & DEMITSU, T. Atypical varicella mimicking hand–foot–mouth disease in an adult patient with malignant lymphoma during chemotherapy, 254
OSEROFF, A.R. *see* MORGAN, J.
OSTERTAG, J.U. *see* SMEETS, N.W.J.
OTA, T. *see* AOKI-OTA, M.
OWEN, C.M., CHALMERS, R.J.G. & GRIFFITHS, C.E.M. Streptococcal infection may make psoriasis worse but do antibiotics help?, 244
OYAMA, N. *see* SAKUMA-OYAMA, Y.
OZAWA, K. *see* YAMAGUCHI, Y.
OZAWA, T. *see* FUJIWARA, M.
OZKUR, M., ERBAGCI, Z., NACAK, M., TUNCEL, A.A., ALASEHIRLI, B. & AYNACIOGLU, A.S. Association of insertion/deletion polymorphism of the angiotensin-converting enzyme gene with psoriasis, 792

PACHINGER, W. *see* RICHTIG, E.
PALMER, R.A., VAN DE PAS, C.B., CAMPALANI, E., WALKER, S.L., YOUNG, A.R. & HAWK, J.L.M. A simple method to assess severity of polymorphic light eruption, 645
PANIZZON, R.G. *see* DUMONT-BERSET, M.
PARIZADEH, D.D. *see* MACHTINGER, L.A.
PARK, H.J. *see* JEONG, E.G.
PARK, J-S. *see* CHO, Y-H.
PARK, S-G. *see* CHO, Y-H.
PARK, Y.M. *see* KIM, J.E.
PARK, Y.M. *see* SONG, J.Y.
PAS, H.H. *see* PASMOOIJ, A.M.G.
PAS, H.H. *see* VODEGEL, R.M.
PASCUAL, J.C., BAÑULS, J., BELINCHON, I., BLANES, M. & MASSUTI, B. Trichomegaly following treatment with gefitinib (ZD1839), 1111
PASMOOIJ, A.M.G., VAN DER STEEGE, G., PAS, H.H., SILLEVIS SMITT, J.H., NIJENHUIS, A.M., ZUIDERVEEN, J. & JONKMAN, M.F. Features of epidermolysis bullosa simplex due to mutations in the ectodomain of type XVII collagen, 669
PATIL, K. *see* CHAN, I.
PATTERSON, C.C. *see* MCMULLEN, E.A.
PAUL, J. *see* SEABRA, A.B.
PAUS, R. *see* HAVLICKOVA, B.
PEHAMBERGER, H. *see* RICHTIG, E.
PELACHO, B. *see* SÁNCHEZ-CARPINTERO, I.
PERERA, G.K., WATSON, K.M., SALISBURY, J. & DU VIVIER, A.W.P. Two cases of cutaneous umbilical endosalpingiosis, 924
PERERA, G.K. *see* FRIEDMANN, A.C.
PERRIN, C., LANGBEIN, L. & SCHWEIZER, J. Expression of hair keratins in the adult nail unit: an immunohistochemical analysis of the onychogenesis in the proximal nail fold, matrix and nail bed, 362
PERROT, H. *see* NORGETT, E.E.
PERUSQUIA, A.M. *see* SCHIFFNER, R.
PETER, R.U. *see* WALTHER, U.
PEYRÍ, J. *see* MUNIESA, C.
PISANI, C. *see* BILENCHI, R.
PLANT, D., LEAR, J., MARSLAND, A., WORTHINGTON, J. & GRIFFITHS, C.E.M. *CARD15/NOD2* single nucleotide polymorphisms do not confer susceptibility to type I psoriasis, 675
PLÖTZ, S-G. *see* BRAUN-FALCO, M.
POGGIALI, S. *see* BILENCHI, R.
POLLOCK, B., TURNER, D., STRINGER, M.R., BOJAR, R.A., GOULDEN, V., STABLES, G.I. & CUNLIFFE, W.J. Topical aminolaevulinic acid-photodynamic therapy for the treatment of acne vulgaris: a study of clinical efficacy and mechanism of action, 616
PORTER, W.M. *see* KYLE, S.D.
POSCH, L. *see* OBERMOSER, G.
POTTER, L. *see* SALDANHA, G.
POWELL, A.M. *see* SAKUMA-OYAMA, Y.
POZO, G., CANÚN, S., KOFMAN-ALFARO, S. & ZENTENO, J.C. A *de novo* heterozygous point mutation in the *p63* gene causing the syndrome of ectrodactyly, ectodermal dysplasia and facial clefting, 930
POZO, L. & DIAZ-CANO, S.J. Malignant deep sclerosing blue naevus presenting as a subcutaneous soft tissue mass, 508
PRADINAUD, R. *see* COUPPIÉ, P.
PRAIS, L. *see* LIM, S.P.R.
PRASAD, G.N., RADOTRA, B.D. & KUMAR, B. Does mechanical stretching have a role in the causation of breast leiomyomas?, 521
PRESCOTT, R.J. *see* MCKENNA, D.B.
PRINZ, B.M. *see* DRAGIEVA, G.
PRPIĆ MASSARI, L., KAŠTELAN, M., GRUBER, F., LAŠKARIN, G., SOTOŠEK TOKMADŽIĆ, V., ŠTRBO, N., ZAMOLO, G., ŽAUHAR, G. & RUKAVINA, D. Perforin expression in peripheral blood lymphocytes and skin-infiltrating cells in patients with lichen planus, 433
PRPIĆ MASSARI, L. *see* KAŠTELAN, M.
PUJOL, J-L. *see* JACOT, W.
PYE, R. *see* WALLACE, V.P.

RADOTRA, B.D. *see* PRASAD, G.N.
RAML, J. *see* RICHTIG, E.
RAMSAY, M. *see* VAN HOUGENHOUCK-TULLEKEN, W.
RAPP, D.A., BRENES, G.A., FELDMAN, S.R., FLEISCHER, A.B., GRAHAM, G.F., DAILEY, M. & RAPP, S.R. Anger and acne: implications for quality of life, patient satisfaction and clinical care, 183
RAPP, S.R. *see* RAPP, D.A.
RASMUSSEN, M. *see* JOHANSEN, C.
RASSNER, G. *see* BLUM, A.
RASSNER, G. *see* MOEHRLE, M.
RATZINGER, G. *see* RICHTIG, E.
RAVAT, F. *see* THEIN, M.
RAY, S. *see* DURAKOVIC, C.
READ, A.P. *see* HEWITT, C.

REDONDO, P., DEL OLMO, J. & IDOATE, M. Angiolymphoid hyperplasia with eosinophilia successfully treated with imiquimod, 1110
REICH, A. *see* SZEPIETOWSKI, J.C.
REITAMO, S. Tacrolimus and topical steroids, which is more effective?: reply from authors, 1281
REYNOLDS, N.J. *see* ANSTEY, A.V.
REZUSTA, A. *see* GILABERTE, Y.
RHO, N-K., KIM, W-S., LEE, D-Y., LEE, J-H., LEE, E-S. & YANG, J-M. Immunophenotyping of inflammatory cells in lesional skin of the extrinsic and intrinsic types of atopic dermatitis, 119
RHODES, L.E. *see* IBBOTSON, S.H.
RICHARDS, H.L., FORTUNE, D.G., WEIDMANN, A., SWEENEY, S.K.T. & GRIFFITHS, C.E.M. Detection of psychological distress in patients with psoriasis: low consensus between dermatologist and patient, 1227
RICHARDS, H.L. *see* FORTUNE, D.G.
RICHTIG, E., HOFMANN-WELLENHOF, R., PEHAMBERGER, H., FORSTINGER, C., WOLFF, K., MISCHER, P., RAML, J., FRITSCH, P., ZELGER, B., RATZINGER, G., KOLLER, J., LANG, A., KONRAD, K., KINDERMANN-GLEBOWSKI, E., SEEBER, A., STEINER, A., FIALLA, R., PACHINGER, W., KOS, C., KLEIN, G., KEHRER, H., KERL, H., ULMER, H. & SMOLLE, J. Temozolomide and interferon α2b in metastatic melanoma stage IV, 91
RIEG, S., GARBE, C., SAUER, B., KALBACHER, H. & SCHITTEK, B. Dermcidin is constitutively produced by eccrine sweat glands and is not induced in epidermal cells under inflammatory skin conditions, 534
RIGOPOULOS, D., IOANNIDES, D., KALOGEROMITROS, D., GREGORIOU, S. & KATSAMBAS, A. Pimecrolimus cream 1% vs. betamethasone 17-valerate 0.1% cream in the treatment of seborrhoeic dermatitis. A randomized open-label clinical trial, 1071
RING, J. *see* BRAUN-FALCO, M.
RÍOS, J.J. *see* GARCÍA-MORALES, I.
RIST, T.E. *see* MACHTINGER, L.A.
ROBERTS, A.G. *see* ARMSTRONG, D.K.B.
ROBINSON, J.M. *see* IGARASHI, S.
ROCCHI, R. *see* BILENCHI, R.
RODRÍGUEZ, E. *see* GALACHE, C.
RODRIGUEZ-PERALTO, J.L. *see* SOPENA, J.
ROS, A-M. *see* ERICSON, M.B.
ROSDAHL, I. *see* ERICSON, M.B.
ROSÉN, A. *see* ERICSON, M.B.
ROTTOLI, P. *see* BILENCHI, R.
RUBENSTEIN, D.S. *see* SÁNCHEZ-CARPINTERO, I.
RUBIO, M.C. *see* GILABERTE, Y.
RUFFELLI, M. *see* MARIOTTI, F.
RUKAVINA, D. *see* KAŠTELAN, M.
RUKAVINA, D. *see* PRPIĆ MASSARI, L.
RUSSELL-JONES, R. *see* MAO, X.
RUSSELL-JONES, R. *see* THEIN, M.
RUSTEMEYER, T. *see* MOED, H.
RUZICKA, T. *see* LYSA, B.
SAARIALHO-KERE, U. *see* WECKROTH, M.
SACHS, B., AL MASAOUDI, T., MERK, H.F. & ERDMANN, S. Combined *in vivo* and *in vitro* approach for the characterization of penicillin-specific polyclonal lymphocyte reactivity: tolerance tests with safe penicillins instead of challenge with culprit drugs, 809
SAEKI, H. *see* MIZUTANI, K.
SÁENZ-SANTAMARÍA, M.C. *see* GILABERTE, Y.
SAGA, S. *see* AKITA, Y.
SAGAWA, K. *see* MINAMI, Y.
SAINTE-MARIE, D. *see* COUPPIÉ, P.
SAITO, T. *see* AKITA, Y.
SAKUMA-OYAMA, Y., POWELL, A.M., OYAMA, N., ALBERT, S., BHOGAL, B.S. & BLACK, M.M. Evaluation of a BP180-NC16a enzyme-linked immunosorbent assay in the initial diagnosis of bullous pemphigoid, 126
SAKURAI, T. *see* KABASHIMA, K.
SALDANHA, G., GHURA, V., POTTER, L. & FLETCHER, A. Nuclear β-catenin in basal cell carcinoma correlates with increased proliferation, 157
SALISBURY, J. *see* PERERA, G.K.
SALISBURY, J.R. *see* FRIEDMANN, A.C.
SALTER, L. *see* CAMPBELL, S.M.
SAMPOGNA, F., GISONDI, P., MELCHI, C.F., AMERIO, P., GIROLOMONI, G., ABENI, D. AND THE IDI MULTIPURPOSE PSORIASIS RESEARCH ON VITAL EXPERIENCES (IMPROVE) INVESTIGATORS Prevalence of symptoms experienced by patients with different clinical types of psoriasis, 594
SÁNCHEZ, J. *see* MUNIESA, C.
SÁNCHEZ-CARPINTERO, I., ESPAÑA, A., PELACHO, B., LÓPEZ MORATALLA, N., RUBENSTEIN, D.S., DIAZ, L.A. & LÓPEZ-ZABALZA, M.J. *In vivo* blockade of pemphigus vulgaris acantholysis by inhibition of intracellular signal transduction cascades, 565
SANDBERG, C. *see* ERICSON, M.B.
SANDBERG, T. *see* NIELSEN, K.
SANDER, C.S., ALI, I., DEAN, D., THIELE, J.J. & WOJNAROWSKA, F. Oxidative stress is implicated in the pathogenesis of lichen sclerosus, 627
SANDER, R. *see* WALTHER, U.
SANDER, S. *see* WALTHER, U.
SANDERS, D.A. *see* DOWNIE, M.M.T.
SANTARELLI, R. *see* COTTONI, F.
SANTOS-JUANES, J. *see* GALACHE, C.
SARACENO, R. *see* NISTICÒ, S.
SARDELLA, A. *see* LODI, G.
SARMIENTO, E., MICHELOUD, D. & CARBONE, J. Complement consumption associated with eczematous cutaneous reaction during infusions of high doses of intravenous immunoglobulin, 721
SATCHELL, A.C., BARNETSON, R.St. & HALLIDAY, G.M. Increased Fas ligand expression by T cells and tumour cells in the progression of actinic keratosis to squamous cell carcinoma, 42
SATO, F. *see* ASADA, Y.

SATO, S., KODERA, M., HASEGAWA, M., FUJIMOTO, M. & TAKEHARA, K. Antinucleosome antibody is a major autoantibody in localized scleroderma, 1182
SATTA, R. *see* COTTONI, F.
SAUER, B. *see* RIEG, S.
SAWAMURA, D. *see* YANAGI, T.
SCHEINFELD, N. *see* WEINBERG, J.M.
SCHEPER, R.J. *see* MOED, H.
SCHIFFNER, R., PERUSQUIA, A.M. & STOLZ, W. One-year follow-up of a lentigo maligna: first dermoscopic signs of growth, 1087
SCHIPPERT, W. *see* MOEHRLE, M.
SCHITTEK, B. *see* RIEG, S.
SCHLIEMANN-WILLERS, S. *see* FLUHR, J.W.
SCHLIEMANN-WILLERS, S. *see* KAPPES, U.
SCHNEEBERGER, A. *see* KOPP, T.
SCHNUCH, A. *see* BRASCH, J.
SCHUBERT, H. *see* KAPPES, U.
SCHULER, G. *see* LÜFTL, M.
SCHWABE, R. *see* BLUM, A.
SCHWEIZER, J. *see* PERRIN, C.
SCOPE, A., FRIEDMAN, E. & AZIZI, E. A familial syndromic association between cutaneous malignant melanoma and neural system tumours, 1278
SEABRA, A.B., FITZPATRICK, A., PAUL, J., DE OLIVEIRA, M.G. & WELLER, R. Topically applied *S*-nitrosothiol-containing hydrogels as experimental and pharmacological nitric oxide donors in human skin, 977
SEBASTIAN, G. *see* WALTHER, U.
SEEBER, A. *see* RICHTIG, E.
SEEGERS, U. *see* BÄUMER, W.
SEFTON, J. *see* MACHTINGER, L.A.
SENEVIRATNE, S.L. *see* BLACK, A.P.B.
SEO, S-K. *see* NA, G-Y.
SERA, F. *see* MARIOTTI, F.
SETZER, S.V., COHEN, C. & SWERLICK, R.A. Tissue factor expression may contribute to cutaneous infarctions, 711
SHAH, D.S. *see* CHAVE, T.A.
SHAMS, K. *see* KAVANAGH, G.M.
SHANKAR, S. *see* WALLACE, V.P.
SHARFAEI, S. *see* BISSONNETTE, R.
SHARPE, P.C. *see* ARMSTRONG, D.K.B.
SHEEHAN-DARE, R. *see* USMANI, N.
SHEEN, M.C., SHEU, H.M., LAI, F.J., LIN, S.D., WU, C.F., WANG, Y.W. & LAN, C.C.E. A huge verrucous carcinoma of the lower lip treated with intra-arterial infusion of methotrexate, 727
SHEN, S-C. *see* FANG, J-Y.
SHEU, H.M. *see* SHEEN, M.C.
SHIBUYA, S. *see* OHNISHI, T.
SHICHINO, H. *see* ITO, K.
SHIMIZU, H. *see* YANAGI, T.
SHIMOZATO, K. *see* AKITA, Y.
SIDHU, H. *see* HERRMANN, G.
SILLEVIS SMITT, J.H. *see* PASMOOIJ, A.M.G.
SIMEONE, P., TESON, M., LATINI, A., CARDUCCI, M. & VENUTI, A. Endothelin-1 could be one of the targets of psoriasis therapy, 1273
SIPKA, S. *see* GYIMESI, E.
SIRÉN, V. *see* WECKROTH, M.
SLOAN, J.M. *see* WOO, W.K.
SLOAN, P. *see* HEWITT, C.
SMEETS, N.W.J., KUIJPERS, D.I.M., NELEMANS, P., OSTERTAG, J.U., VERHAEGH, M.E.J.M., KREKELS, G.A.M. & NEUMANN, H.A.M. Mohs' micrographic surgery for treatment of basal cell carcinoma of the face—results of a retrospective study and review of the literature, 141
SMITH, C.H. *see* CHEW, A-L.
SMITH, V.V. *see* ONG, C.
SMITHSON, S.F. & WINTER, R.M. Diagnosis in dysmorphology: clues from the skin, 953
SMOLLE, J. *see* RICHTIG, E.
SOBESKY, M. *see* COUPPIÉ, P.
SOGA, F. *see* ASAI, J.
SOMA, Y. *see* KAWAKAMI, T.
SONG, J.Y., KIM, M.Y., KIM, H.O. & PARK, Y.M. Melanocytic naevus of the palm resembling callus, 230
SOPENA, J., GAMO, R., IGLESIAS, L. & RODRIGUEZ-PERALTO, J.L. Disseminated verruciform xanthoma, 717
SORG, O. *see* LÜBBE, J.
SOTO, J. *see* GALACHE, C.
SOTOŠEK TOKMADŽIĆ, V. *see* PRPIĆ MASSARI, L.
SOYER, H.P. *see* ARGENZIANO, G.
SPAGNOLI, L.G. *see* BIANCHI, L.
STABLES, G.I. *see* POLLOCK, B.
STANTA, G. *see* MIERTUSOVA, S.
STEINER, A. *see* RICHTIG, E.
STENQUIST, B. *see* ERICSON, M.B.
STINGL, G. *see* KOPP, T.
STOCK, D.M. *see* DOWNIE, M.M.T.
STOLZ, W. *see* SCHIFFNER, R.
STOOF, T.J. *see* MOED, H.
ŠTRBO, N. *see* PRPIĆ MASSARI, L.
STRINGER, M.R. *see* POLLOCK, B.
SUGA, M., OKUDA, M., OGASAWARA, Y., YOKOYAMA, E., HAMAMOTO, Y. & MUTO, M. The histopathology of envenomation by Japanese viper bite, 249
SUGAWARA, H. *see* OSAWA, M.
SUH, D-H. *see* CHO, K-H.
SUMIKAWA, Y. *see* YAMAGUCHI, Y.
SUNDBY, J. *see* DALGARD, F.
SUZUKI, H. *see* ITO, K.
SUZUKI, K. *see* TAKEUCHI, Y.
SUZUKI, K. *see* TAMURA, T.
SUZUKI, T. *see* ADACHI, A.
SUZUKI, T. *see* OHNISHI, T.
SVENSSON, Å. *see* DALGARD, F.
SVENSSON, A. *see* VAN COEVORDEN, A.M.
SWEENEY, S.K.T. *see* RICHARDS, H.L.
SWERLICK, R.A. *see* SETZER, S.V.
SZEGEDI, A. *see* GYIMESI, E.
SZEIMIES, R-M. *see* KARRER, S.

SZÉPFALUSI, Z. *see* KOPP, T.
SZEPIETOWSKI, J.C., REICH, A. & WIŚNICKA, B. Pruritus and psoriasis, 1284

TADINI, G. *see* MICHELONI, A.
TAIBJEE, S.M., BENNETT, D.C. & MOSS, C. Abnormal pigmentation in hypomelanosis of Ito and pigmentary mosaicism: the role of pigmentary genes, 269
TAIBJEE, S.M. *see* LANIGAN, S.W.
TAJIMA, N. *see* OSAWA, M.
TAJIMA, S. *see* FUJIMOTO, E.
TAKADA, C. *see* TAMURA, T.
TAKATA, S. *see* FUZIWARA, S.
TAKEHARA, K. *see* SATO, S.
TAKEMA, Y. *see* TSUKAHARA, K.
TAKENAKA, H. *see* ASAI, J.
TAKEUCHI, Y., TAMURA, A., KAMIYA, M., SUZUKI, K. & ISHIKAWA, O. Immunohistochemical analyses of p63 expression in normal human skin, 232
TAKIZAWA, H. *see* OHNISHI, T.
TAKIZAWA, T. *see* IGARASHI, S.
TALME, T. *see* HALL, M.A.
TAMADA, Y. *see* AKITA, Y.
TAMADA, Y. *see* MIZUTANI, K.
TAMAKI, K. *see* JINNIN, M.
TAMAKI, K. *see* MIMURA, Y.
TAMAKI, K. *see* MITSUI, H.
TAMAKI, K. *see* MIZUTANI, K.
TAMURA, A. *see* TAKEUCHI, Y.
TAMURA, T., MATSUBARA, M., TAKADA, C., HASEGAWA, K., SUZUKI, K., OHMORI, K. & KARASAWA, A. Effects of olopatadine hydrochloride, an antihistamine drug, on skin inflammation induced by repeated topical application of oxazolone in mice, 1133
TANAKA, T. *see* FUJIWARA, M.
TANAKA, T. *see* NISHIMURA, Y.
TANEW, A. *see* KOPP, T.
TANI, M. *see* NAGANO, T.
TARTLER, U. *see* LYSA, B.
TAVADIA, S., AUTHI, K.S., HODGINS, M.B. & MUNRO, C.S. Expression of the sarco/endoplasmic reticulum calcium ATPase type 2 and 3 isoforms in normal skin and Darier's disease, 440
TAYLOR, D.K. *see* IBBOTSON, S.H.
TERRACINA, M. *see* MARIOTTI, F.
TERRY, S. *see* BERCOVITCH, L.
TESNIERE, A. *see* BESSIS, D.
TESON, M. *see* SIMEONE, P.
THAKKER, N.S. *see* HEWITT, C.
THAMBOO, T.P. *see* CHNG, W.J.
THEAKER, J.M. *see* COOPER, H.L.
THEIN, M., RAVAT, F., ORCHARD, G., CALONJE, E. & RUSSELL-JONES, R. Syringotropic cutaneous T-cell lymphoma: an immunophenotypic and genotypic study of five cases, 216
THIELE, J.J. *see* SANDER, C.S.
THORNTON, H. *see* VAN HOUGENHOUCK-TULLEKEN, W.
TISHLER, H.R. *see* WEINBERG, J.M.
TODA, S. *see* OSAWA, M.
TOMITA, Y. *see* ADACHI, A.
TOOMES, C. *see* HEWITT, C.
TORCHIA, D. *see* CAPRONI, M.
TÖRMÄ, H. *see* VAHLQUIST, A.
TREVISAN, G. *see* MIERTUSOVA, S.
TSAI, W.C. *see* LAN, C-C.E.
TSAO, C-J. *see* LIN, J-H.
TSCHERNIG, T. *see* BÄUMER, W.
TSUJI, T. *see* MINAMI, Y.
TSUKAHARA, K., NAKAGAWA, H., MORIWAKI, S., KAKUO, S., OHUCHI, A., TAKEMA, Y. & IMOKAWA, G. Ovariectomy is sufficient to accelerate spontaneous skin ageing and to stimulate ultraviolet irradiation-induced photoageing of murine skin, 984
TSUKITA, S. *see* MORITA, K.
TSUNODA, K. *see* AOKI-OTA, M.
TSUZUKI, T. *see* MIZUTANI, K.
TUNCEL, A.A. *see* OZKUR, M.
TURNER, D. *see* POLLOCK, B.
TURSI, A. *see* CALOGIURI, G.F.
TURSI, A. *see* NETTIS, E.
TÜTING, T. *see* WENZEL, J.
TUTUMI, Y. *see* KAWAKAMI, T.

UCCINI, S. *see* COTTONI, F.
UCHIDA, K. *see* AKITA, Y.
UCHIWA, H. *see* IGARASHI, S.
UEDE, K. *see* MINAMI, Y.
ULMER, H. *see* RICHTIG, E.
UMEMOTO, N. *see* OSAWA, M.
USMANI, N., BAXTER, K.F., CHILD, J.A. & SHEEHAN-DARE, R. Linear IgA disease in association with chronic lymphocytic leukaemia, 710
UTER, W. *see* BRASCH, J.

VABRES, P. *see* LAMI, M-C.
VADOUD, J. *see* LOWE, N.
VAHERI, A. *see* WECKROTH, M.
VAHLQUIST, A., TÖRMÄ, H. & CARLSSON, B. Inefficacy of topical thyroid hormone analogue TriAc in plaque psoriasis: results of a double-blind placebo-controlled trial, 489
VALDIMARSSON, H. *see* GUDJONSSON, J.E.
VALMARY, S. *see* BOULINGUEZ, S.
VAN COEVORDEN, A.M., COENRAADS, P.J., SVENSSON, A., BOUWES BAVINCK, J.N., DIEPGEN, T.L., NALDI, L., ELSNER, P. & WILLIAMS, H.C. Overview of studies of treatments for hand eczema—the EDEN hand eczema survey, 446
VAN DE KERKHOF, P.C.M. The impact of a two-compound product containing calcipotriol and betamethasone dipropionate (Daivobet®/Dovobet®) on the quality of life in patients with psoriasis vulgaris: a randomized controlled trial, 663
VAN DE PAS, C.B. *see* PALMER, R.A.

VAN DER STEEGE, G. *see* PASMOOIJ, A.M.G.
VAN HOUGENHOUCK-TULLEKEN, W., CHAN, I., HAMADA, T., THORNTON, H., JENKINS, T., MCLEAN, W.H.I., MCGRATH, J.A. & RAMSAY, M. Clinical and molecular characterization of lipoid proteinosis in Namaqualand, South Africa, 413
VAN MARCK, E. *see* NIJSTEN, T.
VARETTONI, M. *see* VASSALLO, C.
VASSALLO, C., BRAZZELLI, V., ALESSANDRINO, P.E., VARETTONI, M., ARDIGÒ, M., LAZZARINO, M. & BORRONI, G. Normal-looking skin in oncohaematological patients after allogenic bone marrow transplantation is not normal, 579
VENTURA, M.T. *see* CALOGIURI, G.F.
VENTURELLI, C. *see* CALISTA, D.
VENUTI, A. *see* SIMEONE, P.
VERHAEGH, M.E.J.M. *see* SMEETS, N.W.J.
VERMEULEN, P.B. *see* NIJSTEN, T.
VIAU, G. *see* BISSONNETTE, R.
VIDAL, D., MATÍAS-GUIU, X. & ALOMAR, A. Efficacy of imiquimod for the expression of Bcl-2, Ki67, p53 and basal cell carcinoma apoptosis, 656
VIRABEN, R. *see* BOULINGUEZ, S.
VIROLAINEN, S. *see* WECKROTH, M.
VODEGEL, R.M., JONKMAN, M.f., PAS, H.H. & DE JONG, M.C.J.M. U-serrated immunodeposition pattern differentiates type VII collagen targeting bullous diseases from other subepidermal bullous autoimmune diseases, 112
VOGEL, H. *see* LEHMAN, T.D.
VOLPI, W. *see* CAPRONI, M.
VON BLOMBERG, B.M.E. *see* MOED, H.
VONDERHEID, E.C. *see* MAO, X.

WADA, A. *see* FUJIWARA, M.
WADHWA, S.L. *see* CHAN, I.
WAKELIN, S. *see* ANSTEY, A.V.
WALKER, P.S. *see* MACHTINGER, L.A.
WALKER, S.L., CHALMERS, R.J.G. & BECK, M.H. Contact urticaria due to *p*-chloro-*m*-cresol, 936
WALKER, S.L. *see* PALMER, R.A.
WALLACE, V.P., FITZGERALD, A.J., SHANKAR, S., FLANAGAN, N., PYE, R., CLUFF, J. & ARNONE, D.D. Terahertz pulsed imaging of basal cell carcinoma *ex vivo* and *in vivo*, 424
WALSHAW, D. *see* DAS, S.
WALTHER, U., KRON, M., SANDER, S., SEBASTIAN, G., SANDER, R., PETER, R.U., MEURER, M., KRÄHN, G. & KASKEL, P. Risk and protective factors for sporadic basal cell carcinoma: results of a two-centre case–control study in southern Germany. Clinical actinic elastosis may be a protective factor, 170
WALZ, M. *see* LYSA, B.
WANG, H.S. *see* WANG, X.L.
WANG, H.W. *see* WANG, X.L.
WANG, H.Y. *see* YANG, S.
WANG, X.L., WANG, H.W., WANG, H.S., XU, S.Z., LIAO, K.H. & HILLEMANNS, P. Topical 5-aminolaevulinic acid-photodynamic therapy for the treatment of urethral condylomata acuminata, 880
WANG, Y.W. *see* SHEEN, M.C.
WATANABE, S. *see* OHNISHI, T.
WATANABE, T. *see* MITSUI, H.
WATSON, K.M. *see* PERERA, G.K.
WATSON, R.G.P. *see* WOO, W.K.
WEBER, M. *see* HERRMANN, G.
WECKROTH, M., VAHERI, A., VIROLAINEN, S., SAARIALHO-KERE, U., JAHKOLA, T. & SIRÉN, V. Epithelial tissue-type plasminogen activator expression, unlike that of urokinase, its receptor, and plasminogen activator inhibitor-1, is increased in chronic venous ulcers, 1189
WEI, S. *see* LU, L.
WEIDERER, P. *see* KARRER, S.
WEIDMANN, A. *see* RICHARDS, H.L.
WEINBERG, J.M., SCHEINFELD, N. & TISHLER, H.R. Granuloma annulare restricted to Becker's naevus, 245
WEINSTOCK, M.A. *see* BERCOVITCH, L.
WELLER, R. *see* SEABRA, A.B.
WENNBERG, A-M. *see* ERICSON, M.B.
WENZEL, J., MONTAG, S., WILSMANN-THEIS, D., GAFFAL, E., BIEBER, T. & TÜTING, T. Successful treatment of recalcitrant Wegener's granulomatosis of the skin with tacrolimus (Prograf™), 927
WESTERDAHL, J. *see* NIELSEN, K.
WESTERHOF, W., DINGEMANS, K.P. & HULSMANS, R.F.H.J. Hypermelanocytic guttate and macular segmental hypomelanosis, 701
WHATLEY, S.D. *see* ARMSTRONG, D.K.B.
WHITTAKER, S.J. *see* MAO, X.
WILKINSON, S.M. *see* LAMB, S.R.
WILLIAMS, H.C. *see* VAN COEVORDEN, A.M.
WILSMANN-THEIS, D. *see* WENZEL, J.
WILSON, D.C. *see* MACHTINGER, L.A.
WINSEY, S. *see* BLACK, A.P.B.
WINTER, R.M. *see* SMITHSON, S.F.
WIŚNICKA, B. *see* SZEPIETOWSKI, J.C.
WOJNAROWSKA, F. *see* BLACK, A.P.B.
WOJNAROWSKA, F. *see* SANDER, C.S.
WOLF, F. *see* NORGETT, E.E.
WOLF, R. *see* LYSA, B.
WOLFF, K. *see* RICHTIG, E.
WONG, T-W. *see* YANG, C-C.
WOO, W.K., MCMILLAN, S.A., WATSON, R.G.P., MCCLUGGAGE, W.G., SLOAN, J.M. & MCMILLAN, J.C. Coeliac disease-associated antibodies correlate with psoriasis activity, 891
WORTHINGTON, J. *see* PLANT, D.
WRIGHT, A. *see* LEWIS, V.J.
WU, C.F. *see* SHEEN, M.C.
WU, C-L. *see* HEWITT, C.
WU, C-S. *see* LAN, C-C.E.

XU, S.Z. *see* WANG, X.L.

YAMAGUCHI, Y., YOSHIDA, S., SUMIKAWA, Y., KUBO, T., HOSOKAWA, K., OZAWA, K., HEARING, V.J., YOSHIKAWA, K. & ITAMI, S. Rapid healing of intractable diabetic foot ulcers with exposed bones following a novel therapy of exposing bone marrow cells and then grafting epidermal sheets, 1019
YAMAMOTO, K. *see* IGARASHI, S.
YAMANE, K. *see* JINNIN, M.
YAMANE, K. *see* MIMURA, Y.
YAMAUCHI, P.S. *see* KORMEILI, T.
YANAGI, T., SAWAMURA, D. & SHIMIZU, H. Follicular mucinosis associated with imatinib (STI571), 1276
YANG, C-C., LEE, J.Y.-Y. & WONG, T-W. Depigmented extramammary Paget's disease, 1049
YANG, H. *see* LEE, A-Y.
YANG, J. *see* YANG, S.
YANG, J-M. *see* RHO, N-K.
YANG, Q. *see* YANG, S.
YANG, S., YANG, J., LIU, J.B., WANG, H.Y., YANG, Q., GAO, M., LIANG, Y.H., LIN, G.S., LIN, D., HU, X.L., FAN, L. & ZHANG, X.J. The genetic epidemiology of alopecia areata in China, 16
YASUDA, Y. *see* IGARASHI, S.
YAWALKAR, N. *see* MICHALOPOULOS, P.
YAZAWA, N. *see* JINNIN, M.
YAZAWA, N. *see* MIMURA, Y.
YAZICI, C., KÖSE, K., ÇALIŞ, M., DEMİR, M., KIRNAP, M. & ATEŞ, F. Increased advanced oxidation protein products in Behçet's disease: a new activity marker?, 105
YCHOU, M. *see* JACOT, W.
YING, K. *see* LU, L.
YOKOTA, K. *see* MIHARA, K.
YOKOYAMA, E. *see* SUGA, M.
YOKOYAMA, Y. *see* HASHIMOTO, C.
YOON, T-Y. *see* CHO, K-H.
YOSHIDA, S. *see* YAMAGUCHI, Y.
YOSHIKAWA, K. *see* AKITA, Y.
YOSHIKAWA, K. *see* YAMAGUCHI, Y.
YOSHIKAWA, Y. *see* HAMAMOTO, Y.
YOSHIZAWA, D. *see* FUZIWARA, S.
YOUM, Y-H. *see* LEE, A-Y.
YOUNG, A.R. *see* PALMER, R.A.
YOUNG, B.D. *see* MAO, X.
YU, C-L. *see* LAN, C-C.E.
YU, H-S. *see* LAN, C-C.E.
YU, H-S. *see* LAN, C-C.E.

ZALAUDEK, I. & ARGENZIANO, G. Glomerular vessels in Bowen's disease, 720
ZALAUDEK, I. *see* ARGENZIANO, G.
ZAMBRUNO, G. *see* MARIOTTI, F.
ZAMBRUNO, G. *see* MICHELONI, A.
ZAMIRI, M. & BILSLAND, D. Treatment of bath PUVA-induced skin pain with gabapentin, 516
ZAMOLO, G. *see* KAŠTELAN, M.
ZAMOLO, G. *see* PRPIĆ MASSARI, L.
ŽAUHAR, G. *see* KAŠTELAN, M.
ŽAUHAR, G. *see* PRPIĆ MASSARI, L.
ZELGER, B. *see* OBERMOSER, G.
ZELGER, B. *see* RICHTIG, E.
ZENTENO, J.C. *see* POZO, G.
ZENZO, G.D. *see* MARIOTTI, F.
ZHANG, X.J. *see* YANG, S.
ZIEMER, M. *see* KAPPES, U.
ZUBERBIER, T. *see* HAAS, N.
ZUBIRI, M.L. *see* GILABERTE, Y.
ZUIDERVEEN, J. *see* PASMOOIJ, A.M.G.

British Journal of Dermatology 2004; **151:** 1307–1316.

Subject Index

acantholysis in pemphigus vulgaris, *in vivo* blockade by inhibition of intracellular signal transduction cascades 565
acetic acid, irritation studies 1039
acitretin in conjunction with narrowband UVB phototherapy in severe pustular von Zumbusch-type psoriasis (Case Report) 912
acne
  aminolaevulinic acid–photodynamic therapy 616
  and anger, implications for quality of life, patient satisfaction and clinical care 183
  clinical features in adolescents living in Northern Europe and South Asia (Poster) 263
  combination therapy of hydrogen peroxide and adapalene compared with benzoyl peroxide and adapalene 481
acneiform eruption induced by epidermal growth factor receptor inhibitors in patients with solid tumours (Correspondence) 238
acrogeria, Gottron type (Case Report) 497
actin expression in basal cell carcinoma (Correspondence) 934
actinic keratosis
  pharmacological modulation of gene expression by imiquimod 1150
  photodynamic therapy 1204
  progression to squamous cell carcinoma 42
  transplant recipients, clinical trial of topical photodynamic therapy with methyl aminolaevulinate 196
activator protein-1 DNA binding activity in lesional and nonlesional psoriatic skin 600
adalimumab in treatment of severe psoriasis and psoriatic arthropathy (Case Report) 492
adapalene gel in acne 481
adhesive tape stripping of stratum corneum 746
ageing, acceleration after ovariectomy 984
albinism, oculocutaneous type 1, coinheritance with Papillon–Lefèvre syndrome (Case Report) 1261
allergic contact dermatitis
  TARC and RANTES induction in two models 823
  to low concentrations of methyldibromoglutaronitrile in leave-on products 817
alopecia areata
  genetic epidemiology in China 16
  systemic steroid therapy (Correspondence) 246
5-aminolaevulinic acid, enhancement of topical delivery by laser therapy and microdermabrasion 132
aminolaevulinic acid–photodynamic therapy
  acne 616
  effect of irradiance and light dose on histological localization of photodamage induced by 653
  urethral condylomata acuminata 880
amiodarone
  and basal cell carcinoma (Correspondence) 933
  basalioma following therapy (Correspondence) 932
anaphylaxis to hydrocortisone hemisuccinate, cross-sensitivity to related compounds in paediatric patient (Correspondence) 707
anger and acne, implications for quality of life, patient satisfaction and clinical care 183
angiogenesis, cyclooxygenase-2 expression in 837
angiolymphoid hyperplasia with eosinophilia
  imiquimod therapy (Correspondence) 1110
  mepolizumab therapy (Correspondence) 1103
angio-oedema
  hereditary, effective treatment with progestogen-only pill (Correspondence) 713
  sodium benzoate-induced repeated episodes (Concise Communication) 898
angiotensin-converting enzyme gene insertion/deletion polymorphism in psoriasis 792
antibiotics, efficacy in streptococcal infection in psoriasis (Correspondence) 244, (Correspondence) 245
anti-BP180, detection in bullous pemphigoid 1004
anti-desmocollin antibodies, detection by ELISA in atypical but not typical pemphigus 73
antigen-presenting cells, epidermal, regulation by chronic stress 50
antinucleosome antibody in localized scleroderma 1182
antitumour necrosis factor-α, psoriatic lesions induced by treatment (Correspondence) 506
areola, Paget's disease, evidence from mucin core protein expression of extramammary-like histogenesis and multisite disease (Case Report) 688
ascorbic acid, irritation studies 1039
asiaticoside, dermal fibroblast-associated gene induction shown *in vitro* by DNA microarray analysis 571
atopic dermatitis
  15-year review of children treated with oral photochemotherapy (Abstract) 261
  HERV-E env expression 737
  inflammatory cell immunophenotype in lesional skin of extrinsic and intrinsic types 119
autoantibody profile characterization in bullous pemphigoid 1004
azathioprine, guidelines for prescribing 1123
azelaic acid therapy of perioral dermatitis (Correspondence) 933

barium sulphate, effect on skin permeability barrier recovery and epidermal hyperplasia induced by barrier disruption 557
barrier function, effect of barium sulphate 557
basal cell carcinoma
  actin and calponin expression (Correspondence) 934
  and amiodarone (Correspondence) 933
  correlation of nuclear β-catenin with increased proliferation 157

© 2004 British Association of Dermatologists

effect of imiquimod on apoptosis 656
face, Mohs' micrographic surgery 141
histological evolution, therapeutic implications following incomplete excision 623
scabies infestation (Clinical Cameo) 926
sporadic, risk and protective factors 170
terahertz pulsed imaging *ex vivo* and *in vivo* 424
topical treatment with tazarotene 148
basalioma following amiodarone therapy (Correspondence) 932
Bcl-2
abnormalities in primary cutaneous lymphoma 546
effect of imiquimod on expression 656
Becker's naevus, restriction of granuloma annulare to (Correspondence) 245
Behçet's disease, increased advanced oxidation protein products as activity marker 105
benzodiazepine receptor, peripheral, expression in skin cancers and normal skin 846
benzoyl peroxide in acne 481
β4 integrin, intracellular degradation in pyloric atresia with lethal junctional epidermolysis bullosa 796
β-catenin, correlation with increased proliferation in basal cell carcinoma 157
betamethasone 17-valerate, comparison with pimecrolimus in treatment of seborrhoeic dermatitis 1071
betamethasone dipropionate with calcipotriol, effect on quality of life in psoriasis 663
blue naevus, malignant deep sclerosing (Correspondence) 508
bone marrow transplantation, histology of normal-looking skin in oncohaematological patients 579
botulinum toxin therapy
delivery by iontophoresis (Case Report) 1093
in focal hyperhidrosis 1115
Bowen's disease
bilateral (Case Report) 227
glomerular vessels in (Correspondence) 720
tight junction-associated proteins in 328
breast
leiomyoma, role of mechanical stretching in causation (Correspondence) 521
telangiectatic metastatic carcinoma preceded by en cuirasse metastatic carcinoma (Correspondence) 523
British Journal of Dermatology, ethics and conflicts of interest (Editorial) 1
British Photodermatology Group Workshop Report, update and guidance on narrowband UVB phototherapy (Guidelines) 283
British Society for Paediatric Dermatology, Annual Symposium 258
bullous diseases, U-serrated immunodeposition pattern of type VII collagen in differentiation 112
bullous pemphigoid
chlorambucil as steroid-sparing agent (Correspondence) 1107
development of novel ELISA system for detection of anti-BP180 IgG and characterization of autoantibody profile 1004
evaluation of BP180-NC16a ELISA in initial diagnosis 126

C1 inhibitor concentrate, safety (Correspondence) 517
calcipotriol with betamethasone dipropionate, effect on quality of life in psoriasis 663
calponin expression in basal cell carcinoma (Correspondence) 934
cancer testis antigens and melanoma 1213
capillary malformations, lack of linkage to susceptibility locus on 5q (Abstract) 262
CARD15/NOD2 single nucleotide polymorphisms and susceptibility to type 1 psoriasis (Concise Communication) 675
cathepsin degradation of desmosomes during epidermal desquamation 355
CCR4 expression in nickel-responding T cells 32
CCR10 expression in nickel-responding T cells 32
CD63 expression assay on highly sensitized atopic donor leucocytes, *in vitro* detection of chronic autoimmune urticaria 388
CDLQI (Abstract) 261
cervical lymphadenitis caused by *Mycobacterium fortuitum*, successive development of cutaneous polyarteritis nodosa, leucocytoclastic vasculitis and Sweet's syndrome (Case Report) 1096
cheilitis, exfoliative, treatment with topical tacrolimus (Correspondence) 241
chemokine receptor expression in nickel-responding T cells 32
chemotherapy and atypical moles (Case Report) 698
Children's Dermatology Life Quality Index (Abstract) 261
Children's Life Quality Index (Abstract) 261
China, genetic epidemiology of alopecia areata 16
chlorambucil as steroid-sparing agent in bullous pemphigoid (Correspondence) 1107
chronic actinic dermatitis co-existing with solar urticaria (Correspondence) 513
chronic renal failure, 5-S-cysteinyldopa serum level and melanoma progression (Correspondence) 515
cidofovir, topical, in treatment of refractory verruca in acute lymphoblastic leukaemia (Abstract) 259
cilomilast, effect on T-cell-attracting chemokines in models of allergic contact dermatitis 823
clarithromycin and linezolid in treatment of *Mycobacterium chelonae* infection (Clinical Cameo) 1101
claudin-1 and claudin-4 in Bowen's disease and squamous cell carcinoma 328
CLQI (Abstract) 261
coeliac disease-associated antibodies correlated with psoriatic activity (Concise Communication) 891
collagen
type VII, U-serrated immunodeposition pattern in differentiation of bullous diseases 112

type XVII, features of epidermolysis bullosa simplex due to mutations in ectodomain (Concise Communication) 669
colon adenocarcinoma associated with lichen planus pemphigoides and multiple keratoacanthoma (Correspondence) 252
condylomata acuminata, urethral, photodynamic therapy 880
conjunctivitis with pemphigus foliaceus (Abstract) 259
controversies in dermatology (Editorial) 267
corticosteroids
systemic, in alopecia areata (Correspondence) 246
topical, comparison with tacrolimus (Correspondence) 281, (Correspondence) 281
coumarin necrosis induced by renal insufficiency (Case Report) 502
COX-2 *see* cyclooxygenase-2
Crohn's disease, presentation in skin of 8-year-old child (Abstract) 258
cutaneous infarction and tissue factor expression (Correspondence) 711
cutaneous leishmaniasis, comparative study in HIV-infected and non-HIV-infected patients in French Guiana 1165
cutaneous lupus erythematosus
chronic, photoprotective effects of thalidomide 458
update on management (Topical Review) 731
cutaneous T-cell lymphoma, syringotropic, immunophenotypic and genotypic study (Concise Communication) 216
CXCR3 expression in nickel-responding T cells 32
cyclooxygenase-2 (COX-2)
expression in squamous cell carcinoma and angiogenesis 837
as molecular target for photodynamic therapy indications 472
CYLD tumour suppressor gene, nonsense mutation in familial cylindromatosis (Case Report) 1084
cylindromatosis, familial, with nonsense mutation in *CYLD* tumour suppressor gene (Case Report) 1084
5-S-cysteinyldopa serum level in chronic renal failure and melanoma progression (Correspondence) 515

Darier's disease, SERCA isoform expression 440
dermatofibrosarcoma protuberans, inhibition of growth of metastatic lung lesions by imatinib mesylate (Correspondence) 235
dermatomyositis
infiltrating cells, related cytokines and chemokine receptors in lesional skin 784
juvenile, unusual late complication (Abstract) 258
dermatophyte onychomycosis, PCR diagnosis (Correspondence) 518
dermicidin production by eccrine sweat glands 534
diabetic foot ulcers, rapid healing following exposure of bone marrow cells and epidermal sheet grafting 1019
dietary allergy and contact urticaria to play dough (Correspondence) 945
diflorasone diacetate, effect on T-cell-attracting chemokines in models of allergic contact dermatitis 823
digital image analysis in diagnosis of melanoma 1029
disseminated verruciform xanthoma (Correspondence) 717
DMBA/TPA carcinogenesis mouse model, tacrolimus treatment (Correspondence) 1275, (Correspondence) 1276
dysmorphology, diagnosis in (Topical Review) 953

eccrine sweat glands, dermicidin production 534
EDEN hand eczema survey 446
EEC syndrome, *p63* gene mutation associated (Correspondence) 930
elbow flexures, acquired pseudoxanthoma elasticum (Correspondence) 242
endosalpingiosis, cutaneous umbilical (Clinical Cameo) 924
endothelin-1 as target of psoriasis therapy (Correspondence) 1273
eosinophilic cellulitis and molluscum contagiosum (Correspondence) 1279
eosinophilic fasciitis, serum levels of TIMP-1 and TIMP-2 407
eosinophilic pustular folliculitis, treatment with tacrolimus ointment (Correspondence) 949
epidemiology, genetic, of alopecia areata in China 16
epidermal cyst with keratin spherules (Correspondence) 1286
epidermal desquamation, degradation of desmosomes by cathepsin D and not cathepsin E 355
epidermal growth factor receptor inhibitors, acneiform eruption induced by in patients with solid tumours (Correspondence) 238
epidermolysis bullosa acquisita with bleeding tendency due to factor VIII inhibitor (Correspondence) 716
epidermolysis bullosa simplex, features due to mutations in ectodomain of type XVII collagen (Concise Communication) 669
epithelial–mesenchymal interactions, optimization of organotypic assay system 753
epithelioid sarcoma, comparative genomic hybridization in 1054
Epstein–Barr virus, lymphoproliferative lesions associated, presentation as hydroa vacciniforme-like eruption 372
erythema annulare centrifugum affecting father and daughter (Poster) 264
erythromelalgia, primary, mexiletine therapy (Correspondence) 708
ethics and conflicts of interest in *British Journal of Dermatology* (Editorial) 1
exfoliative cheilitis, treatment with topical tacrolimus (Correspondence) 241
extracellular matrix, immunohistochemical studies of normal skin and inflammatory dermatoses (Correspondence) 928
extracellular matrix protein-1 gene recurrent frameshift mutation resulting in lipoid proteinosis (Correspondence) 726

face, basal cell carcinoma, Mohs' micrographic surgery 141
familial cylindromatosis with nonsense mutation in *CYLD* tumour suppressor gene (Case Report) 1084
farnesoid X receptor and regulation of sebaceous differentiation in human sebaceous gland organ cultures 766

Fas ligand expression by T cells and tumour cells in progression of actinic keratosis to squamous cell carcinoma 42
feet, rapid healing of diabetic foot ulcers following exposure of bone marrow cells and epidermal sheet grafting 1019
fixed drug eruption, naproxen-induced generalized bullous (Correspondence) 232
FK506, independent upregulation of TGF-β and downregulation of iNOS in cultured human keratinocytes (Concise Communication) 679
floppy eyelid syndrome with obstructive sleep apnoea (Clinical Cameo) 706
focal hyperhidrosis, botulinum toxin therapy 1115
follicular mucinosis associated with imatinib (Correspondence) 1276
fragrance products, link between skin and airways regarding sensitivity to 1197
fruit acids, irritation studies 1039
fusidic acid, persistent resistance of *Staphylococcus aureus* in large cohort of children (Abstract) 262

G-81 monoclonal antibody, immunohistochemical staining of cutaneous tumours 165
gabapentin in bath PUVA-induced skin pain (Correspondence) 516
gefitinib, trichomegaly following treatment with (Correspondence) 1111
giant cell arteritis and tongue necrosis (Correspondence) 721
giant congenital naevocytic naevus, detection of melanoma in by PET (Correspondence) 724
giant pigmented naevi in first cousins (Poster) 264
glomerular vessels in Bowen's disease (Correspondence) 720
granular cell tumours, multiple childhood (Abstract) 260
granuloma annulare restricted to Becker's naevus (Correspondence) 245
granulomatous lobular panniculitis, 'doughnut' (Case Report) 685
Greither syndrome (Abstract) 260

haemangioma, ulcerated, treatment with recombinant human platelet-derived growth factor (Abstract) 260
haematopoietic stem cell transplant, effect on papules with pebbly appearance in Hunter's syndrome (Concise Communication) 207
haemophilia, acquired (Correspondence) 716
hand eczema, overview of studies of treatment 446
henna tattoos and sensitization to para-phenylenediamine and thiuram (Clinical Cameo) 1271
hepatitis C virus infection
cryoglobulinaemic, with primary cutaneous anaplastic large cell lymphoma (Correspondence) 941
and lichen planus 1172
and mycosis fungoides (Correspondence) 1108
hepatoerythropoietic porphyria, missense mutation in *UROD* gene associated with mild disease and unusual porphyrin excretion pattern (Case Report) 920
hereditary angio-oedema, effective treatment with progestogen-only pill (Correspondence) 713
hereditary white nails, genetic and structural study 65
HERV-E env differential expression in normal, psoriatic and atopic dermatitis human skin 737
HIV infection and cutaneous leishmaniasis in French Guiana 1165
HLA class I heavy chain expression on circulating monocytes in psoriatic arthropathy 24
Hodgkin's lymphoma, zosteriform cutaneous metastases in patient with scrofuloderma and nodal tuberculosis (Correspondence) 722
human endogenous retrovirus-E transmembrane envelope glycoprotein differential expression in normal, psoriatic and atopic dermatitis human skin 737
human herpesvirus-8 infection susceptibility in healthy population from Sardinia, lack of correlation with HLA-DR allele expression (Correspondence) 247
human papillomavirus
epidermodysplasia verruciformis-associated, detection of DNA in nongenital seborrhoeic keratosis 1060
HPV56, detection in genital area hair follicles in woman no longer suffering from viral warts (Concise Communication) 212
human skin xenografts on SCID mice 971
Hunter's syndrome, effect of haematopoietic stem cell transplant on papules with pebbly appearance (Concise Communication) 207
hydrocortisone hemisuccinate, anaphylaxis to, cross-sensitivity to related compounds in paediatric patient (Correspondence) 707
hydrogen peroxide in acne 481
hyperhidrosis, focal, botulinum toxin therapy 1115
hyperoxaluria, primary type I, painful sclerotic plaques on the legs (Correspondence) 1104
hypomelanosis, hypermelanocytic guttate and macular segmental (Case Report) 701
hypomelanosis of Ito, role of pigmentary genes in abnormal pigmentation (Review) 269

imatinib
follicular mucinosis associated (Correspondence) 1276
inhibition of growth of metastatic lung lesions in dermatofibrosarcoma protuberans (Correspondence) 235
imiquimod
in angiolymphoid hyperplasia with eosinophilia (Correspondence) 1110
efficacy for expression of Bcl-2, Ki67, p53 and basal cell carcinoma apoptosis 656
in lentigo maligna (Concise Communication) 485
pharmacological modulation of gene expression in actinic keratoses 1150
successful topical treatment of lentigo maligna, characterization of cellular infiltrate (Case Report) 903
incontinentia pigmenti presenting with neonatal seizures and ischaemic brain injury (Abstract) 261

inducible nitric oxide synthase, FK506 downregulation in cultured human keratinocytes (Concise Communication) 679
infants
perianal pyramidal protrusion with hard stool history (Clinical Cameo) 229
tinea capitis (Concise Communication) 886
infliximab, eczematous drug reaction to (Correspondence) 1272
interferon-α2b in metastatic melanoma stage IV 91
intravenous immunoglobulin, high-dose therapy, complement consumption and eczematous cutaneous reaction during (Correspondence) 721
iodopropynylbutyl carbamate patch testing in patients with possible preservative-related eczema 608
iontophoresis in delivery of botulinum toxin therapy (Case Report) 1093
itch–scratch response in development of spontaneous dermatitis in NC/Nga mice 335

Japanese viper bite, histopathology of envenomation (Correspondence) 249
JUNB abnormalities in primary cutaneous lymphoma 546
junctional epidermolysis bullosa with pyloric atresia, intracellular degradation of β4 integrin 796
juvenile dermatomyositis, unusual late complication (Abstract) 258

keloids, upregulation of NNP-1 gene expression 1143
keratin spherules in an epidermal cyst (Correspondence) 1286
keratinocytes
cultured human, FK506 upregulation of TGF-β and downregulation of iNOS (Concise Communication) 679
increase of laminin 5 synthesis by acute wound fluid, inflammatory cytokines and growth factors, and lysophospholipids 961
vulnerability to trauma in depigmented and normally pigmented epidermis in vitiligo 995
keratins, expression of hair keratins in adult nail unit 362
keratoacanthoma, multiple, and lichen planus pemphigoides associated with colon adenocarcinoma (Correspondence) 252
Ki67, effect of imiquimod on expression 656
Kindler syndrome, improved early diagnosis (Abstract) 262

laminin 5, increase of synthesis in human keratinocytes by acute wound fluid, inflammatory cytokines and growth factors, and lysophospholipids 961
laryngeal inflammation, nicorandil-induced (Correspondence) 939
laser therapy
early stage mycosis fungoides 877
enhancement of 5-aminolaevulinic acid topical delivery 132
port wine stain (Topical Review) 527
Latrodectus tredecimguttatus spider bite (Clinical Cameo) 505
leg ulcers
expression of tissue-type plasminogen activator, urokinase, urokinase receptor and plasminogen activator inhibitor-1 1189
implementation of strategy 857
legs, painful sclerotic plaques in primary type I hyperoxaluria (Correspondence) 1104
leiomyoma, breast, role of mechanical stretching in causation (Correspondence) 521
LEKTI, demonstration by immunohistochemistry in skin (Concise Communication) 1253
lentigo maligna
one-year follow-up (Case Report) 1087
successful treatment with imiquimod, characterization of cellular infiltrate (Case Report) 903
treatment with imiquimod cream (Concise Communication) 485
leucocytoclastic vasculitis with HCV-associated mixed cryoglobulinaemia, biclonal gammopathy and Waldenström macroglobulinaemia (Correspondence) 937
leukaemia
acute lymphoblastic, treatment of refractory verruca with topical cidofovir (Abstract) 259
acute myeloblastic, macrocheilia in (Clinical Cameo) 1102
chronic lymphocytic, with linear IgA disease (Correspondence) 710
leukaemia cutis, plasma cell, localization to recent puncture sites (Correspondence) 237
leukocytapheresis, in treatment of pyoderma gangrenosum (Case Report) 1090
lichen aureus, resolution after topical pimecrolimus treatment (Correspondence) 519
lichen planus
and hepatitis C virus infection 1172
perforin expression in peripheral blood lymphocytes and skin-infiltrating cells 433
lichen planus pemphigoides and multiple keratoacanthoma associated with colon adenocarcinoma (Correspondence) 252
lichen sclerosus, role of oxidative stress in pathogenesis 627
linear IgA disease in association with chronic lymphocytic leukaemia (Correspondence) 710
linezolid and clarithromycin in treatment of *Mycobacterium chelonae* infection (Clinical Cameo) 1101
lip, verrucous carcinoma, intra-arterial methotrexate infusion (Correspondence) 727
lipoid proteinosis
clinical and molecular characterization in South Africa 413
resulting from recurrent frameshift mutation in extracellular matrix protein-1 gene (Correspondence) 726
lymphoma, atypical varicella mimicking hand–foot–mouth disease during chemotherapy (Correspondence) 254

macrocheilia in acute myeloblastic leukaemia (Clinical Cameo) 1102
malignant deep sclerosing blue naevus (Correspondence) 508

mast cells, immunohistochemical studies of normal skin and inflammatory dermatoses (Correspondence) 928
matrix metalloproteinase induction in fibroblasts by keratinocyte-derived cytokines following photodynamic therapy 776
melanocytic naevus of the palm, resemblance to callus (Clinical Cameo) 230
melanoma
and cancer testis antigens 1213
case for lymphatic mapping and sentinel lymphadenectomy 308
clinical risk factors and prognostic significance of local recurrence 397
comparison of dermatologists', surgeons' and GPs' surgical management 636
congenital (Case Report) 693
diagnosis by digital image analysis 1029
familial syndromic association with neural system tumours (Correspondence) 1279, (Correspondence) 1278
future incidence within the UK 868
in giant congenital naevocytic naevus, detection by PET (Correspondence) 724
high serum level of 5-S-cysteinyldopa in chronic renal failure as indicator of progression (Correspondence) 515
metastatic stage IV, temozolomide and interferon-α2b in 91
most reliable method for teaching dermoscopy in diagnosis (Correspondence) 511, (Correspondence) 512
sentinel lymph node biopsy (Editorial) 267, 298, 308
small diameter, follow-up of Norwegian Melanoma Project (Concise Communication) 1081
survival in Northern Ireland 587
mepolizumab in treatment of angiolymphoid hyperplasia with eosinophilia (Correspondence) 1103
mesangioproliferative glomerulonephritis, associated with multifocal necrotizing leucoencephalopathy and recessive dystrophic epidermolysis bullosa (Case Report) 1266
methotrexate, intra-arterial infusion in verrucous carcinoma of the lower lip (Correspondence) 727
8-methoxypsoralen, photosensitization by, optimal time to determine minimal phototoxic dose 179
methyldibromoglutaronitrile in leave-on products, contact allergy at low concentration 817
mexiletine in primary erythromelalgia (Correspondence) 708
microdermabrasion enhancement of 5-aminolaevulinic acid topical delivery 132
mixed cryoglobulinaemia, HCV-associated, with biclonal gammopathy, Waldenström macroglobulinaemia and leucocytoclastic vasculitis (Correspondence) 937
mixed mullerian tumour, cutaneous metastatic malignant, mimicking cutaneous leiomyosarcoma (Correspondence) 947
Mohs' micrographic surgery for basal cell carcinoma of the face 141
molluscum contagiosum and eosinophilic cellulitis (Correspondence) 1279
MUC1 expression and glycosylation in EB-associated and sporadic cutaneous squamous cell carcinoma 540
mucinous carcinoma of the skin, eccrine or apocrine origin (Correspondence) 1285
Muckle–Wells syndrome, clinical and histological findings compatible with cold air urticaria in large kindred 99
mucous membrane pemphigoid, rapid effector function of circulating NC16A-specific T cells 1160
multifocal necrotizing leucoencephalopathy, associated with recessive dystrophic epidermolysis bullosa and mesangioproliferative glomerulonephritis (Case Report) 1266
multilocular giant epidermal cyst (Correspondence) 943
mycobacteriosis, atypical cutaneous, diagnosis by polymerase chain reaction (Correspondence) 719
Mycobacterium chelonae infection treated with oral clarithromycin and linezolid (Clinical Cameo) 1101
Mycobacterium fortuitum, cervical lymphadenitis due to, successive development of cutaneous polyarteritis nodosa, leucocytoclastic vasculitis and Sweet's syndrome (Case Report) 1096
mycosis fungoides
and hepatitis C virus infection (Correspondence) 1108
laser therapy in early stage 877
myiasis (Clinical Cameo) 1270

nails
dermatophyte and *Scytalidium* onychomycosis (Correspondence) 518
expression of hair keratins in adult nail unit 362
hereditary white nails, genetic and structural study 65
naproxen, generalized bullous fixed drug eruption (Correspondence) 232
narrowband UVB phototherapy (Guidelines) 283
NC/Nga mice, role of itch–scratch response in spontaneous dermatitis 335
neonatal lupus erythematosus with neutropenia and mildly abnormal liver function (Poster) 264
neonate
presentation of incontinentia pigmenti with seizures and ischaemic brain injury (Abstract) 261
scalding (Abstract) 259
Netherton syndrome, potential diagnostic skin test (Concise Communication) 1253
neural system tumours, familial syndromic association with melanoma (Correspondence) 1279, (Correspondence) 1278
neutrophilic eccrine hidradenitis, unusual presentation (Correspondence) 507
nickel-responding T cells, chemokine receptor expression 32
nicorandil, tongue ulceration and laryngeal inflammation induced by low-dose therapy (Correspondence) 939
nitric oxide, topically applied *S*-nitrosothiol-containing hydrogels as donors in human skin 977
NNP-1 gene upregulation in keloid tissue 1143
Northern Ireland, melanoma and survival 587
Norwegian Melanoma Project (Concise Communication) 1081

obstructive sleep apnoea with floppy eyelid syndrome (Clinical Cameo) 706
occludin in Bowen's disease and squamous cell carcinoma 328
oculocutaneous albinism type 1, coinheritance with Papillon–Lefèvre syndrome (Case Report) 1261
Ofuji's disease, treatment with tacrolimus ointment (Correspondence) 949
olanzapine in treatment of psychogenic excoriation (Correspondence) 714
olapatadine hydrochloride, effects on skin inflammation induced by repeated topical application of oxazolone in mice 1133
onychogenesis, immunohistochemical analysis in proximal nail fold, matrix and nail bed 362
onychomycosis, dermatophyte and *Scytalidium*, PCR diagnosis (Correspondence) 518
Oslo, self-reported skin morbidity 452
ovariectomy-induced acceleration of spontaneous skin ageing and stimulation of UV-induced photoageing of murine skin 984
oxazolone-induced skin inflammation in mice, effects of olapatadine hydrochloride on 1133
oxidative stress, implication in pathogenesis of lichen sclerosus 627

p-chloro-*m*-cresol, contact urticaria due to (Correspondence) 936
p53, effect of imiquimod on expression 656
p63
gene mutation associated with EEC syndrome (Correspondence) 930
immunohistochemical analysis of expression in normal human skin (Correspondence) 232
Paget's disease
areola, evidence from mucin core protein expression of extramammary-like histogenesis and multisite disease (Case Report) 688
depigmented extramammary 1049
palm, melanocytic naevus, resemblance to callus (Clinical Cameo) 230
panniculitis, symmetrical, as presentation of Whipple's disease (Case Report) 907
Papillon–Lefèvre syndrome, coinheritance with oculocutaneous albinism type 1 (Case Report) 1261
papular–purpuric gloves and socks syndrome, juvenile variant, association with viral infections (Concise Communication) 201
para-phenylenediamine sensitization following henna tattoo (Clinical Cameo) 1271
paricalcitol, topical, as novel, safe and effective treatment in plaque psoriasis 190
patch test clinic, audit of primary and secondary care as source of referrals (Concise Communication) 1258
pemphigus, atypical, detection of anti-desmocollin antibodies by ELISA 73
pemphigus foliaceus with conjunctivitis (Abstract) 259
pemphigus vulgaris
in vivo blockade of acantholysis by inhibition of intracellular signal transduction cascades 565
mouse model 346
penicillin-specific polyclonal lymphocyte reactivity 809
perforin
expression in peripheral blood lymphocytes and skin-infiltrating cells in lichen planus 433
expression upregulation in epidermis of psoriatic lesions 831
perianal pyramidal protrusion, infantile, with hard stool history (Clinical Cameo) 229
perioral dermatitis, azelaic acid therapy (Correspondence) 933
peroxisome proliferator-activated receptor, and regulation of sebaceous differentiation in human sebaceous gland organ cultures 766
photoageing, stimulation by ovariectomy 984
photochemotherapy in atopic dermatitis, 15-year review of treated children (Abstract) 261
photodamaged skin, histological effects of tazarotene cream vs vehicle 1245
photodynamic therapy
acne 616
actinic keratosis 1204
cyclooxygenase-2 as possible target of treatment approach in conjunction with 472
effect of irradiance and light dose on histological localization of photodamage induced by 653
keratinocyte-derived cytokines following, induction of matrix metalloproteinases in fibroblasts 776
topical with methyl aminolaevulinate, clinical trial in treatment of actinic keratosis in transplant recipients 196
urethral condylomata acuminata 880
vulval intraepithelial neoplasia 1076
photosensitivity, implication of UVA exposure in vehicles 873
phototherapy
in conjunction with acitretin in severe pustular von Zumbusch-type psoriasis (Case Report) 912
narrowband UVB (Guidelines) 283
pigmentary mosaicism, role of pigmentary genes in abnormal pigmentation (Review) 269
pigmentation, role of pigmentary genes in pigmentary mosaicism and hypomelanosis of Ito (Topical Review) 269
pimecrolimus
comparison with betamethasone 17-valerate in treatment of seborrhoeic dermatitis 1071
topical treatment of lichen aureus (Correspondence) 519
plasma cell leukaemia cutis, localization to recent puncture sites (Correspondence) 237
plasminogen activator inhibitor-1 expression in chronic venous ulcers 1189
platelet-derived growth factor, recombinant human, in treatment of ulcerated haemangioma (Abstract) 260
play dough, contact urticaria to (Correspondence) 945
polymorphic light eruption
assessment of severity 645

provocation testing using fluorescent UVA and UVB lamps 1066
port wine stain
lack of linkage to susceptibility locus on 5q (Abstract) 262
recent advances in laser therapy (Topical Review) 527
pregnancy
and pseudoxanthoma elasticum 1011
rosacea fulminans in (Case Report) 917
preservative-related eczema, patch testing with iodopropynylbutyl carbamate 608
primary cutaneous anaplastic large cell lymphoma in elderly patient with cryoglobulinaemic HCV infection (Correspondence) 941
primary cutaneous B-cell lymphoma mimicking pyoderma gangrenosum, treatment with rituximab (Correspondence) 250
primary cutaneous lymphoma, BCL2 and JUNB abnormalities 546
progestogen-only pill as effective treatment of hereditary angio-oedema (Correspondence) 713
pruritus and psoriasis (Correspondence) 1284
pseudopelade of Brocq, inflammatory infiltrate and fibrogenic cytokines suggest involvement of T-helper 2 and 3 cytokines 84
pseudoxanthoma elasticum
of the elbow flexures (Correspondence) 242
pregnancy and obstetrical outcomes 1011
psoriasis
activator protein-1 DNA binding activity in lesional and nonlesional skin 600
CARD15/NOD2 single nucleotide polymorphisms and susceptibility to type 1 (Concise Communication) 675
coeliac disease-associated antibodies correlated with activity (Concise Communication) 891
detection of psychological distress in patients 1227
effect of successful treatment on psoriasis-specific and general aspects of well-being 1219
endothelin-1 as target of therapy (Correspondence) 1273
HERV-E env expression 737
immunopathogenesis, evolving immunomodulators and systemic therapies (Topical Review) 3
impact of product containing calcipotriol and betamethasone dipropionate on quality of life 663
insertion/deletion polymorphism of angiotensin-converting enzyme gene 792
lesions induced by antitumour necrosis factor-α treatment (Correspondence) 506
medication adherence and improvement in severity (Concise Communication) 895
perforin expression upregulation in epidermis of lesions 831
plaque
topical paricalcitol as novel, safe and effective treatment 190
topical thyroid hormone analogue TriAc (Concise Communication) 489
and pruritus (Correspondence) 1284
streptococcal infection, efficacy of antibiotics (Correspondence) 244, (Correspondence) 245
symptom prevalence experienced by patients with different clinical types 594
treatment with adalimumab (Case Report) 492
von Zumbusch, acitretin therapy in conjunction with narrowband UVB phototherapy (Case Report) 912
Psoriasis Area and Severity Index, increase in impact of area 381
psoriatic arthropathy
expression of free HLA class I heavy chains on circulating monocytes, role in pathogenesis 24
treatment with adalimumab (Case Report) 492
psychogenic excoriation, olanzapine treatment (Correspondence) 714
psychological distress in psoriasis patients 1227
puncture sites, localization of plasma cell leukaemia cutis to (Correspondence) 237
PUVA, treatment of skin pain with gabapentin (Correspondence) 516
pyloric atresia with lethal junctional epidermolysis bullosa, intracellular degradation of β4 integrin 796
pyoderma gangrenosum, leukocytapheresis treatment (Case Report) 1090

Q fever (Case Report) 685
quality of life
in acne, implications of anger 183
in childhood skin disease (Abstract) 261
following successful treatment of psoriasis 1219
in psoriasis, impact of product containing calcipotriol and betamethasone dipropionate 663

recessive dystrophic epidermolysis bullosa associated with mesangioproliferative glomerulonephritis and multifocal necrotizing leucoencephalopathy (Case Report) 1266
renal insufficiency and coumarin necrosis (Case Report) 502
rheumatoid factor isotypes and anti-agalactosyl IgG antibodies in systemic sclerosis 803
rituximab in treatment of primary cutaneous B-cell lymphoma mimicking pyoderma gangrenosum (Correspondence) 250
rosacea fulminans in pregnancy (Case Report) 917

S-nitrosothiol-containing hydrogels as experimental and pharmacological nitric oxide donors in human skin 977
sarco-endoplasmic reticulum calcium ATPase isoform expression in normal skin and Darier's disease 440
scabies infestation of basal cell carcinoma (Clinical Cameo) 926
scalding, neonatal (Abstract) 259
SCID mice, quality of human skin xenografts 971
scleroderma, localized, antinucleosome antibody in 1182
Scytalidium onychomycosis, PCR diagnosis (Correspondence) 518
sebaceous glands, aerobic glycolysis and glutaminolysis 320

seborrhoeic dermatitis, pimecrolimus cream vs betamethasone 17-valerate in treatment 1071
seborrhoeic keratosis, nongenital, detection of epidermodysplasia verruciformis-associated human papillomavirus DNA 1060
self-reported skin morbidity in Oslo 452
sentinel lymph node biopsy, melanoma (Editorial) 267, 298, 308
SERCA isoform expression in normal skin and Darier's disease 440
skin cancer, peripheral benzodiazepine receptor expression 846
skin hook, syringe (Correspondence) 244
skin immune function, stress-induced modulation 50
sodium hydroxide, irritation studies 1039
sodium lauryl sulphate, irritation studies 1039
solar urticaria co-existing with chronic actinic dermatitis (Correspondence) 513
South Africa, clinical and molecular characterization of lipoid proteinosis 413
spontaneous dermatitis in NC/Nga mice, role of itch–scratch response 335
squamous cell carcinoma
  cyclooxygenase-2 expression in 837
  EB-associated and sporadic cutaneous, MUC1 expression and glycosylation 540
  progression from actinic keratosis 42
  tight junction-associated proteins in 328
Staphylococcus aureus, persistent resistance to fusidic acid in large cohort of children (Abstract) 262
stratum corneum, adhesive tape stripping 746
streptococcal infection in psoriasis, efficacy of antibiotics (Correspondence) 244, (Correspondence) 245
stress, chronic, modulation of skin immune function by 50
sunscreens, photostability and protection efficiency 1234
syringe skin hook (Correspondence) 244
syringotropic cutaneous T-cell lymphoma, immunophenotypic and genotypic study (Concise Communication) 216
systemic lupus erythematosus, photoprotective effects of thalidomide 458
systemic sclerosis, rheumatoid factor isotypes and anti-agalactosyl IgG antibodies 803

T cells
  expression of Fas ligand in progression of actinic keratosis to squamous cell carcinoma 42
  NC16A-specific, rapid effector function in mucous membrane pemphigoid 1160
  nickel-responding, chemokine receptor expression 32
tacrolimus
  comparison with topical steroids (Correspondence) 1281, (Correspondence) 1281
  and skin carcinogenesis in DMBA/TPA mouse model (Correspondence) 1275, (Correspondence) 1276
  successful treatment of recalcitrant Wegener's granulomatosis (Correspondence) 927
  topical, in treatment of exfoliative cheilitis (Correspondence) 241
  in treatment of eosinophilic pustular folliculitis (Correspondence) 949
tattoos
  chemical extraction method for removal (Correspondence) 1282, (Correspondence) 1283
  henna, sensitization to para-phenylenediamine and thiuram (Clinical Cameo) 1271
tazarotene
  histological effects of cream on photodamaged skin 1245
  topical treatment of basal cell carcinoma 148
temozolomide in metastatic melanoma stage IV 91
terahertz pulsed imaging in basal cell carcinoma 424
thalidomide, photoprotective effects in chronic cutaneous and systemic lupus erythematosus 458
thiuram sensitization following henna tattoo (Clinical Cameo) 1271
thyroid hormone analogues in plaque psoriasis (Concise Communication) 489
tight junction-associated proteins in Bowen's disease and squamous cell carcinoma 328
TIMPs in eosinophilic fasciitis 407
tinea capitis
  in infancy (Concise Communication) 886
  pustular, presence and relevance of staphylococcal contamination (Abstract) 263
tissue factor expression and cutaneous infarction (Correspondence) 711
tissue inhibitor of metalloproteinases in eosinophilic fasciitis 407
tissue-type plasminogen activator expression in chronic venous ulcers 1189
tongue
  necrosis in giant cell arteritis (Correspondence) 721
  nicorandil-induced ulceration (Correspondence) 939
TPI in basal cell carcinoma 424
transforming growth factor-β, FK506 upregulation in cultured human keratinocytes (Concise Communication) 679
transplant recipients, actinic keratosis, clinical trial of topical photodynamic therapy with methyl aminolaevulinate 196
TriAc in plaque psoriasis (Concise Communication) 489
trichomegaly following treatment with gefitinib (Correspondence) 1111

ultraviolet radiation
  implication of UVA exposure in vehicles for photosensitive patients 873
  provocation testing in polymorphic light eruption using fluorescent UVA and UVB lamps 1066
umbilical endosalpingiosis (Clinical Cameo) 924
urethral condylomata acuminata, photodynamic therapy 880
UROD gene missense mutation associated with mild disease and unusual porphyrin excretion pattern in hepatoerythropoietic porphyria (Case Report) 920

urokinase expression in chronic venous ulcers 1189
urokinase receptor expression in chronic venous ulcers 1189
urticaria
  chronic autoimmune, *in vitro* detection 388
  cold air, in Muckle–Wells syndrome 99
  contact
    due to *p*-chloro-*m*-cresol (Correspondence) 936
    to play dough (Correspondence) 945
  sodium benzoate-induced repeated episodes (Concise Communication) 898

varicella
  atypical mimicking hand–foot–mouth disease in patient with malignant lymphoma during chemotherapy (Correspondence) 254
  unusual complications (Poster) 264
variegate porphyria, systematic study of clinical and biochemical expression in large South African family 465
verruca, refractory in acute lymphoblastic leukaemia, treatment with topical cidofovir (Abstract) 259
verrucous carcinoma of the lower lip, intra-arterial methotrexate infusion (Correspondence) 727
vitiligo, vulnerability of keratinocytes to trauma in depigmented and normally pigmented epidermis 995
vulval intraepithelial neoplasia, photodynamic therapy 1076

Waldenström macroglobulinaemia with HCV-associated mixed cryoglobulinaemia, biclonal gammopathy and leucocytoclastic vasculitis (Correspondence) 937
Wegener's granulomatosis, recalcitrant, successful treatment with tacrolimus (Correspondence) 927
Whipple's disease presenting with symmetrical panniculitis (Case Report) 907

xanthoma, disseminated verruciform (Correspondence) 717
xenografts of human skin on SCID mice 971

ZO-1 in Bowen's disease and squamous cell carcinoma 328